

US011298056B2

(12) United States Patent

Harper

(54) METHODS AND SYSTEMS FOR EARLY SIGNAL ATTENUATION DETECTION AND PROCESSING

- (71) Applicant: ABBOTT DIABETES CARE INC., Alameda, CA (US)
- (72) Inventor: Wesley Scott Harper, Alameda, CA (US)
- Assignee: ABBOTT DIABETES CARE INC., (73)Alameda, CA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: 17/411,154
- (22)Filed: Aug. 25, 2021

Prior Publication Data (65)

US 2021/0378564 A1 Dec. 9, 2021

Related U.S. Application Data

- (63) Continuation of application No. 17/245,719, filed on Apr. 30, 2021, now Pat. No. 11,116,431, which is a continuation of application No. 16/228,910, filed on Dec. 21, 2018, now Pat. No. 11,013,431, which is a continuation of application No. 15/061,774, filed on Mar. 4, 2016, now Pat. No. 10,194,844, which is a continuation of application No. 13/925,694, filed on Jun. 24, 2013, now Pat. No. 9,310,230, which is a continuation of application No. 12/769,635, filed on Apr. 28, 2010, now Pat. No. 8,483,967.
- (60) Provisional application No. 61/173,600, filed on Apr. 29, 2009.
- (51) Int. Cl.

A61B 5/145	(2006.01)
A61B 5/1473	(2006.01)
A61B 5/1495	(2006.01)
G16H 40/40	(2018.01)
G01D 18/00	(2006.01)
G01N 31/22	(2006.01)
G01N 33/66	(2006.01)

- (52) U.S. Cl. CPC A61B 5/14532 (2013.01); A61B 5/1473 (2013.01); A61B 5/1495 (2013.01); G01D 18/00 (2013.01); G01N 31/22 (2013.01); G01N 33/66 (2013.01); G16H 40/40 (2018.01)
- (58) **Field of Classification Search** CPC . A61B 5/14532; A61B 5/1473; A61B 5/1495; G16H 40/40; G01D 18/00; G01N 31/22; G01N 33/66

See application file for complete search history.

(56)**References** Cited

U.S. PATENT DOCUMENTS

3,581,062	Α	5/1971	Aston
3,926,760	А	12/1975	Allen et al.

US 11,298,056 B2 (10) Patent No.:

(45) Date of Patent: Apr. 12, 2022

3,949,388 A	4/1976	Fuller
4,036,749 A	7/1977	Anderson
4,055,175 A	10/1977	Clemens et al.
4,129,128 A	12/1978	McFarlane
4,245,634 A	1/1981	Albisser et al.
4,327,725 A	5/1982	Cortese et al.
4,344,438 A	8/1982	Schultz
4,349,728 A	9/1982	Phillips et al.
4,425,920 A	1/1984	Bourland et al.
4,441,968 A	4/1984	Emmer et al.
4,464,170 A	8/1984	Clemens et al.
4,478,976 A	10/1984	Goertz et al.
4,494,950 A	1/1985	Fischell
4,509,531 A	4/1985	Ward
4,527,240 A	7/1985	Kvitash
4,538,616 A	9/1985	Rogoff
4,619,793 A	10/1986	Lee
4,671,288 A	6/1987	Gough
4,703,756 A	11/1987	Gough et al.
4,731,726 A	3/1988	Allen, III
4,749,985 A	6/1988	Corsberg
4,757,022 A	7/1988	Shults et al.
4,759,828 A	7/1988	Young et al.
4,777,953 A	10/1988	Ash et al.
4,779,618 A	10/1988	Mund et al.
4,847,785 A	7/1989	Stephens
4,854,322 A	8/1989	Ash et al.
4,890,620 A	1/1990	Gough
	(Con	tinued)
	v COn	********

FOREIGN PATENT DOCUMENTS

EP	0098592	1/1984
EP	0127958	12/1984
	(Co	ntinued)

OTHER PUBLICATIONS

Armour, J. C., et al., "Application of Chronic Intravascular Blood Glucose Sensor in Dogs", Diabetes, vol. 39, 1990, pp. 1519-1526. (Continued)

Primary Examiner - Jerry Lin (74) Attorney, Agent, or Firm - One LLP

(57)ABSTRACT

Provided are methods and apparatus for receiving sensor data from an analyte sensor of a sensor monitoring system. processing the received sensor data with time corresponding calibration data, outputting the processed sensor data, detecting one or more adverse conditions associated with the sensor monitoring system, disabling the output of the sensor data during the adverse condition time period, determining that the one or more detected adverse conditions is no longer present in the sensor monitoring system, retrieving the sensor data during the adverse condition time period, processing the retrieved sensor data during the adverse condition time period, and outputting the processed retrieved sensor data.

30 Claims, 7 Drawing Sheets

1005 000 1	5/1000	T
4,925,268 A	5/1990	lyer et al.
4.953.552 A	9/1990	DeMarzo
1 086 271 1	1/1001	Willkins
4,980,271 A	1/1991	WIIKIIIS
4,995,402 A	2/1991	Smith et al.
5.000.180 A	3/1991	Kuvpers et al.
5 002 054 4	2/1001	Ash at al
5,002,054 A	5/1991	Asil et al.
5,019,974 A	5/1991	Beckers
5 050 612 A	0/1001	Matsumura
5,050,012 A	9/1991	Maisumura
5,051,688 A	9/1991	Murase et al.
5 055 171 A	10/1991	Peck
5,055,171 A	10/1991	Teek
5,082,550 A	1/1992	Rishpon et al.
5.106.365 A	4/1992	Hernandez
5 1 2 2 0 2 5 A	6/1002	Income
5,122,925 A	0/1992	Inpyn
5,135,004 A	8/1992	Adams et al.
5 165 407 A	11/1002	Wilson et al
5,105,407 A	11/1//2	winson et al.
5,202,261 A	4/1993	Musho et al.
5.210.778 A	5/1993	Massart
5 228 440 A	7/1002	Christ at al
5,228,449 A	// 1995	Chilist et al.
5,231,988 A	8/1993	Wernicke et al.
5 246 867 1	0/1003	Lakowicz et al
5,240,007 A	10/1000	Lakowicz et al.
5,251,126 A	10/1993	Kahn et al.
5.262.035 A	11/1993	Gregg et al.
5 262 205 1	11/1002	II-11-n -t -1
3,202,303 A	11/1993	Hener et al.
5.264.104 A	11/1993	Gregg et al.
5 264 105 1	11/1003	Gregg et al
5,204,105 A	1/1/1///	Glegg et al.
5,279,294 A	1/1994	Anderson et al.
5.285.792 A	2/1994	Sioquist et al.
5 202 977 A	2/1004	O'Here et al
3,293,877 A	5/1994	O nara et al.
5.299.571 A	4/1994	Mastrototaro
5 320 725 1	6/100/	Gregg et al
5,520,725 A	6/1994	Gregg et al.
5,322,063 A	6/1994	Allen et al.
5 340 722 A	8/1994	Wolfbeis et al
5,310,722 M	0/1004	
5,542,789 A	8/1994	Chick et al.
5.356.786 A	10/1994	Heller et al.
5 360 404 4	11/100/	Novacek et al
5,500,404 A	11/1994	Novacek et al.
5,372,427 A	12/1994	Padovani et al.
5 379 238 A	1/1995	Stark
5 204 547 4	1/1005	
5,384,547 A	1/1995	Lynk et al.
5.390.671 A	2/1995	Lord et al.
5 201 250 A	2/1005	Changy II at al
5,591,250 A	2/1995	Cheney, II et al.
5,394,877 A	3/1995	Orr et al.
5 402 780 A	4/1995	Faasse Ir
5,402,700 1	4/1005	1 44550, 51.
5,408,999 A	4/1995	Singn et al.
5.410.326 A	4/1995	Goldstein
5 411 647 A	5/1005	Johnson et al
5,411,047 A	5/1995	Johnson et al.
5,431,160 A	7/1995	Wilkins
5.431.921 A	7/1995	Thombre
5 167 615 A	10/1005	Allhamy at al
5,402,045 A	10/1995	Albery et al.
5,472,317 A	12/1995	Field et al.
5 480 414 4	2/1006	Schreiber et al
5,105,114 A	2/1990	Schleber et al.
5,497,772 A	3/1996	Schulman et al.
5.507.288 A	4/1996	Bocker et al.
5 500 410 A	4/1006	Hill at al
5,509,410 A	4/1990	
5,514,718 A	5/1996	Lewis et al.
5.531.878 A	7/1996	Vadgama et al.
5 552 007 4	0/1006	Maggart
5,552,997 A	9/1990	iviassait
5,568,806 A	10/1996	Cheney, II et al.
5 569 186 A	10/1996	Lord et al
5,500,100 M	12/1006	Enisland at al
3,382,184 A	12/1990	Effectson et al.
5.586.553 A	12/1996	Halili et al.
5 503 852 1	1/1007	Heller et al
5,595,652 A	1/1997	ficher et al.
5,601,435 A	2/1997	Quv
5.609.575 A	3/1997	Larson et al.
5 628 210 4	5/1007	Dec of el
5,028,510 A	5/1997	Rao et al.
5,640,954 A	6/1997	Pteitter et al.
5 653 230 A	8/1007	Pompei et al
5,555,255 A	0/1007	II all an at -1
5,065,222 A	9/1997	Heller et al.
5.711.001 A	1/1998	Bussan et al.
5 711 861 4	1/1009	Ward et al
5,711,001 A	1/1990	main of al.
5,726,646 A	3/1998	Bane et al.
5 735 285 A	4/1008	Albert et al
5,755,265 A	7/1770	The state of all
5,748,103 A	5/1998	Flach et al.
5.771.891 A	6/1008	Gozani
5,771,091 A	6/1998	552an
5,772,586 A	6/1998	Heinonen et al.
5.791.344 A	8/1998	Schulman et al
~,·/ 1,- TT / 1	0,1770	. mannan et al.

5 807 275 A	0/1009	Crass at al
5,807,575 A	2/1000	Dalaman at al
5,875,180 A	2/1999	Belanger et al.
5,899,855 A	5/1999	Brown
5,914,026 A	6/1999	Blubaugh, Jr. et al.
5.925.021 A	7/1999	Castellano et al.
5.942.979 A	8/1999	Luppino
5 051 521 A	0/1000	Mastrototaro et al
5,951,521 A	0/1000	Dessar at al
5,957,854 A	9/1999	Besson et al.
5,961,451 A	10/1999	Reber et al.
5,964,993 A	10/1999	Blubaugh, Jr. et al.
5,965,380 A	10/1999	Heller et al.
5.971.922 A	10/1999	Arita et al.
5 072 100 A	10/1000	Heller et al
5,0772,155 A	11/1000	What a hat rian at al
5,987,555 A	11/1999	Khaichanan et al.
5,995,860 A	11/1999	Sun et al.
6,001,067 A	12/1999	Shults et al.
6,004,278 A	12/1999	Botich et al.
6.022.315 A	2/2000	Hiff
6 024 699 A	2/2000	Surwit et al
6 0 29 412 A	2/2000	Dra altmann
0,028,415 A	2/2000	BIOCKIIIAIIII
6,049,727 A	4/2000	Crothall
6,052,565 A	4/2000	Ishikura et al.
6,066,243 A	5/2000	Anderson et al.
6.083.710 A	7/2000	Heller et al.
6 088 608 A	7/2000	Schulman et al
6 001 075 A	7/2000	Deddone of al
6,091,975 A	7/2000	Daddona et al.
0,091,970 A	7/2000	Pleiner et al.
6,093,172 A	7/2000	Funderburk et al.
6,096,364 A	8/2000	Bok et al.
6,103,033 A	8/2000	Say et al.
6.117.290 A	9/2000	Say et al.
6 119 028 A	9/2000	Schulman et al
6 120 676 A	0/2000	Heller et al
6 121 000 A	0/2000	Heller et al.
0,121,009 A	9/2000	Tiener et al.
6,121,611 A	9/2000	Lindsay et al.
6,122,351 A	9/2000	Schlueter, Jr. et al.
6,129,823 A	10/2000	Hughes et al.
6,134,461 A	10/2000	Say et al.
6.141.573 A	10/2000	Kurnik et al.
6 143 164 A	11/2000	Heller et al
6 1 59 1 47 A	12/2000	Lichter et al
6 162 611 A	12/2000	Hollor of al
0,102,011 A	1/2001	neller et al.
0,1/5,/52 BI	1/2001	Say et al.
6,200,265 BI	3/2001	Walsh et al.
6,212,416 B1	4/2001	Ward et al.
6,219,574 B1	4/2001	Cormier et al.
6.248.067 B1	6/2001	Causey, III et al.
6 254 586 B1	7/2001	Mann et al
6 270 455 B1	8/2001	Brown
6 275 717 D1	8/2001	Grass et al
6,273,717 BI	0/2001	
0,283,701 BI	9/2001	Joao
6,284,478 BI	9/2001	Heller et al.
6,293,925 B1	9/2001	Safabash et al.
6,295,506 B1	9/2001	Heinonen et al.
6,306,104 B1	10/2001	Cunningham et al.
6.309.884 B1	10/2001	Cooper et al.
6 314 317 BI	11/2001	Willis
6 3 20 161 B1	12/2001	Heller et el
0,329,101 D1	2/2001	Nerret et al.
0,348,040 BI	2/2002	Navot et al.
6,359,270 BI	3/2002	Bridson
6,359,444 B1	3/2002	Grimes
6,360,888 B1	3/2002	McIvor et al.
6,366,794 B1	4/2002	Moussy et al.
6.377.828 B1	4/2002	Chaiken et al.
6.379.301 B1	4/2002	Worthington et al.
6 418 332 BI	7/2002	Mastrototaro et al
6 424 847 D1	7/2002	Mastrototaro et el
6 407 000 D1	7/2002	Darman IV -+ 1
0,42/,008 BI	1/2002	Dowman, iv et al.
0,440,068 BI	8/2002	Brown et al.
6,471,689 B1	10/2002	Joseph et al.
6,478,736 B1	11/2002	Mault
6,484.045 B1	11/2002	Holker et al.
6.484.046 B1	11/2002	Say et al
6 403 060 D1	12/2002	Nagashimada at al
C 400 0 42 D1	12/2002	rvagasiinnada et al.
0,498,043 BI	12/2002	Schuman et al.
6,514,718 B2	2/2003	Heller et al.
6,546,268 B1	4/2003	Ishikawa et al.
6,551,494 B1	4/2003	Heller et al.
6.554.798 B1	4/2003	Mann et al.

6 558 321	B1	5/2003	Burd et al
6 559 251	DI	5/2002	Stail at al
0,558,551		5/2003	
6,560,471	BI	5/2003	Heller et al.
6,561,978	B1	5/2003	Conn et al.
6.562.001	B2	5/2003	Lebel et al.
6 564 105	B2	5/2003	Starkweather et al
6,564,105	D2 D1	5/2003	Starkweather et al.
0,303,309	DI	5/2005	Say et al.
6,571,128	B2	5/2003	Lebel et al.
6,572,542	B1	6/2003	Houben et al.
6.574.490	B2	6/2003	Abbink et al.
6 576 101	B1	6/2003	Heller et al
6,570,101	D1 D2	6/2003	
0,577,899	B2	6/2003	Lebel et al.
6,579,690	B1	6/2003	Bonnecaze et al.
6.585.644	B2	7/2003	Lebel et al.
6 591 125	B1	7/2003	Buse et al
6 505 010	D1 D1	7/2002	Dase et al.
0,595,919	DZ D1	1/2003	Benner et al.
6,605,200	BI	8/2003	Mao et al.
6,605,201	B1	8/2003	Mao et al.
6.607.509	B2	8/2003	Bobroff et al.
6 610 012	B2	8/2003	Mault
6 622 772	D2 D2	10/2002	Eard at al
0,033,772	BZ Da	10/2003	Ford et al.
6,635,014	B2	10/2003	Starkweather et al.
6,648,821	B2	11/2003	Lebel et al.
6.654.625	B1	11/2003	Sav et al.
6 658 306	R1	12/2003	Tang et al
0,038,390	DI	12/2003	
0,059,948	B2	12/2003	Lebel et al.
6,668,196	BI	12/2003	Villegas et al.
6,675,030	B2	1/2004	Ciurczak et al.
6.676.816	B2	1/2004	Mao et al.
6.687.546	B2	2/2004	Lebel et al.
6 689 056	B1	2/2004	Kilcovne et al
6 604 101	22	2/2004	Starlayaethar at al
6,094,191	D2 D1	2/2004	Mand at al
0,095,800	BI	2/2004	ward et al.
6,702,857	B2	3/2004	Brauker et al.
6,733,446	B2	5/2004	Lebel et al.
6,740,075	B2	5/2004	Lebel et al.
6.741.877	B1	5/2004	Shults et al.
6 743 635	B2	6/2004	Neel et al
6 746 582	D2 D2	6/2004	Hollor of al
6,740,582	D2 D2	0/2004	
6,758,810	B2	7/2004	Lebel et al.
6,770,030	BI	8/2004	Schaupp et al.
6,789,195	B1	9/2004	Prihoda et al.
6,790,178	B1	9/2004	Mault et al.
6,809,653	B1	10/2004	Mann et al.
6.810.290	B2	10/2004	Lebel et al.
6 811 533	B2	11/2004	Lebel et al
6 811 524	D2 D2	11/2004	Bowmon W at al
6,811,554	D2	11/2004	Bowman, Iv et al.
0,813,519	B2	11/2004	Lebel et al.
6,837,858	B2	1/2005	Cunningham et al.
6,862,465	B2	3/2005	Shults et al.
6,873,268	B2	3/2005	Lebel et al.
6.881.551	B2	4/2005	Heller et al.
6 892 085	B2	5/2005	McIvor et al
6 805 265	B2	5/2005	Silver
6,022,762	D2 D1	8/2005	Variatahari at al
0,925,705	DI	8/2003	Kovatchev et al.
6,931,327	B2	8/2005	Goode, Jr. et al.
6,932,894	B2	8/2005	Mao et al.
6,936,006	B2	8/2005	Sabra
6.942.518	B2	9/2005	Liamos et al.
6 950 708	B2	9/2005	Bowman IV et al
6 958 705	B2	10/2005	Lebel et al
6 068 204	D2 D2	11/2005	Cutta at al
0,908,294	DZ D2	11/2003	Guita et al.
6,971,274	B2	12/2005	Olin
6,974,437	B2	12/2005	Lebel et al.
6,990,366	B2	1/2006	Say et al.
6,997,907	B2	2/2006	Safabash et al.
6,998,247	B2	2/2006	Monfre et al
6 000 854	B2	2/2000	Roth
7 002 226	D2 D2	2/2000	II all ran at -1
7,003,330	D2	2/2000	noiker et al.
7,003,340	B2	2/2006	Say et al.
7,003,341	B2	2/2006	Say et al.
7.015.817	B2	3/2006	Coplev et al.
7 016 713	B2	3/2006	Gardner et al
7 024 245	D2 D2	1/2000	Labol at c ¹
7,024,245	D2	4/2006	Leber et al.
7,025,774	В2	4/2006	Freeman et al.

7 0 27 949 0 2	1/2006	Dahingan at al
7,027,040 DZ	4/2000	Koomson et al.
7,027,931 BI	4/2006	Jones et al.
7,041,068 B2	5/2006	Freeman et al.
7.041.468 B2	5/2006	Drucker et al.
7.046.152 D2	5/2006	Oie ot al
7,040,155 BZ	5/2000	
7,052,483 B2	5/2006	WOICIK
7,056,302 B2	6/2006	Douglas
7 074 307 B2	7/2006	Simpson et al
7.091.105 D2	7/2006	Simpson et al
7,081,195 BZ	7/2000	Simpson et al.
7,092,891 B2	8/2006	Maus et al.
7.098.803 B2	8/2006	Mann et al.
7 108 778 B2	9/2006	Simpson et al
7,110,902 D2	0/2006	Shulta at al
7,110,803 B2	9/2006	Shults et al.
7,113,821 BI	9/2006	Sun et al.
7,123,950 B2	10/2006	Mannheimer
7 134 999 B2	11/2006	Brauker et al
7,126,690 D2	11/2006	Shulta at al
7,150,089 DZ	11/2000	Shults et al.
7,153,265 B2	12/2006	Vachon
7,155,290 B2	12/2006	Von Arx et al.
7 171 274 B2	1/2007	Starkweather et al
7,170,226 D2	2/2007	Crathall at al
7,179,220 BZ	2/2007	Cionan et al.
7,190,988 B2	3/2007	Say et al.
7,192,450 B2	3/2007	Brauker et al.
7.198.606 B2	4/2007	Boecker et al.
7,190,000 D2	4/2007	Safahaah at al
7,207,974 DZ	4/2007	Salabasii et al.
7,226,442 B2	6/2007	Sheppard et al.
7,226,978 B2	6/2007	Tapsak et al.
7 276 020 B2	10/2007	Goode Ir et al
7,270,027 D2	10/2007	Luster at at at
7,278,983 BZ	10/2007	Ireland et al.
7,286,894 B1	10/2007	Grant et al.
7.299.082 B2	11/2007	Feldman et al.
7 310 544 B2	12/2007	Brister et al
7,510,544 D2	1/2007	
7,324,012 B2	1/2008	Mann et al.
7,329,239 B2	2/2008	Safabash et al.
7.364.592 B2	4/2008	Carr-Brendel et al.
7 366 556 B2	4/2008	Brister et al
7,500,550 D2	F (2008	Difference at al
7,379,705 BZ	5/2008	Petisce et al.
7,381,184 B2	6/2008	Funderburk et al.
7.402.153 B2	7/2008	Steil et al.
7 424 318 B2	9/2008	Brister et al
7,121,310 D2	0/2008	Angel et al
7,429,258 BZ	9/2008	Angel et al.
7,455,663 B2	11/2008	Bikovsky
7.460.898 B2	12/2008	Brister et al.
7 462 264 B2	12/2008	Heller et al
7,102,201 D2	12/2000	Deleter et al
7,407,003 BZ	12/2008	blister et al.
7,471,972 B2	12/2008	Rhodes et al.
7,494,465 B2	2/2009	Brister et al.
7 497 827 B2	3/2009	Brister et al
7,400,002 B2	3/2000	Blasko ot al
7,499,002 DZ	3/2009	
7,519,408 B2	4/2009	Rasdal et al.
7,583,990 B2	9/2009	Goode, Jr. et al.
7.591.801 B2	9/2009	Brauker et al.
7 500 726 B2	10/2000	Goode Ir et al
7,333,720 DZ	11/2009	
7,613,491 BZ	11/2009	BOOCK et al.
7,615,007 B2	11/2009	Shults et al.
7.632.228 B2	12/2009	Brauker et al.
7 635 594 B2	12/2009	Holmes et al
7,035,551 D2	12/2000	Soint at al
7,037,808 BZ	12/2009	Saint et al.
7,640,048 B2	12/2009	Dobbles et al.
7,651,596 B2	1/2010	Petisce et al.
7 651 845 B2	1/2010	Dovle III et al
7,651,045 D2	2/2010	Doyle, ill et al.
7,034,930 B2	2/2010	Brister et al.
7,657,297 B2	2/2010	Simpson et al.
7,697,967 B2	4/2010	Stafford
7 699 775 B2	4/2010	Desai et al
7 711 402 B2	5/2010	Shults of al
7,711,402 D2	5/2010	Shulls et al.
7,715,574 B2	5/2010	Brister et al.
7,715,893 B2	5/2010	Karnath et al.
7,727,147 B1	6/2010	Osorio et al.
7 731 657 82	6/2010	Stafford
7,751,057 DZ	0/2010	
7,736,310 B2	6/2010	Taub
7,736.344 B2	6/2010	Moberg et al.
7 763 042 82	7/2010	lio et al
7,705,042 DZ	0/2010	
7,766,829 B2	8/2010	Stoan et al.
7,811,231 B2		
–	10/2010	Jin et al.
7 813 800 B2	10/2010	Jin et al. Strother et al
7,813,809 B2	10/2010 10/2010	Jin et al. Strother et al.
7,813,809 B2 7,822,454 B1	10/2010 10/2010 10/2010	Jin et al. Strother et al. Alden et al.
7,813,809 B2 7,822,454 B1 7,889,069 B2	10/2010 10/2010 10/2010 2/2011	Jin et al. Strother et al. Alden et al. Fifolt et al.
7,813,809 B2 7,822,454 B1 7,889,069 B2 7,899,545 B2	10/2010 10/2010 10/2010 2/2011 3/2011	Jin et al. Strother et al. Alden et al. Fifolt et al. John

7,914,460 B2 3/2011 Melker et al. 7,938,797 B2 5/2011 Estes 7,941,200 B2 5/2011 Weinert et al. 7,946,985 B2 5/2011 Mastrototaro 7,972,296 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Ward et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	et al.
7,914,700 B2 5/2011 Merker et al. 7,938,797 B2 5/2011 Estes 7,941,200 B2 5/2011 Weinert et al. 7,946,985 B2 5/2011 Mastrototaro - 7,972,296 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Baldus et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	et al.
7,938,797 B2 5/2011 Estes 7,941,200 B2 5/2011 Weinert et al. 7,946,985 B2 5/2011 Mastrototaro 7,972,296 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	et al.
7,941,200 B2 5/2011 Weinert et al. 7,946,985 B2 5/2011 Mastrototaro 7,972,296 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Ward et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	et al.
7,946,985 B2 5/2011 Mastrototaro 7,972,296 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Ward et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	et al.
7,972,296 B2 7/2011 Braig et al. 7,976,466 B2 7/2011 Ward et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	
7,972,290 B2 7/2011 Bladg et al. 7,976,466 B2 7/2011 Ward et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	
7,976,466 B2 7/2011 Ward et al. 7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	
7,978,063 B2 7/2011 Baldus et al. 8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	
8,010,174 B2 8/2011 Goode, Jr. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	
8,010,256 B2 8/2011 Goode, J. et 8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	-1
8,010,256 B2 8/2011 Oowada 8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	41.
8,192,394 B2 6/2012 Estes et al. 8,282,549 B2 10/2012 Brauker et al.	
8,282,549 B2 10/2012 Brauker et al.	
8,282,349 DZ 10/2012 Diauxer et al.	
0 505 550 D2 12/2012 E 1	1
8,597,570 B2 12/2013 Terasnima et	ai.
2001/0020124 A1 9/2001 Tamada	
2001/0037060 A1 11/2001 Thompson et	a1
2001/0037000 M1 11/2001 Mohpson et	
2001/003/300 A1 $11/2001$ webb et al.	
2001/0047604 A1 12/2001 Valiulis	
2002/0019022 A1 2/2002 Dunn et al.	
2002/0054320 A1 5/2002 Ogino	
2002/0034320 AT 5/2002 Ogmo	
2002/0095076 AI $7/2002$ Krausman et a	al.
2002/0103499 A1 8/2002 Perez et al.	
2002/0106709 A1 8/2002 Potts et al	
2002/0107557 A1 $2/2002$ Folds et al.	
2002/010/33/ AI 8/2002 Edell et al.	
2002/0111832 A1 8/2002 Judge	
2002/0128594 A1 9/2002 Das et al.	
2002/0133107 A1 9/2002 Darcey	
2002/01/57107 A1 9/2002 Darcey	
2002/014/135 A1 10/2002 Schnell	
2002/0161288 A1 10/2002 Shin et al.	
2002/0188748_A1 = 12/2002_Blackwell et :	1
2002/0004402 A1 $1/2002$ Driver et el	
2003/0004403 A1 $1/2003$ Drinan et al.	
2003/0005464 A1 1/2003 Gropper et al.	
2003/0021729 A1 1/2003 Moller et al.	
2003/0023461 A1 1/2003 Ouintanilla et	a1
2003/0023401 A1 1/2003 Quintainna C	ar.
2003/0028089 A1 $2/2003$ Galley et al.	
2003/0060692 A1 3/2003 Ruchti et al.	
2003/0060753 A1 3/2003 Starkweather	et al
2002/0114907 A1 $6/2002$ Van Arry at al	et tai
2003/0114897 A1 0/2003 Voli AIX et al	
2003/0147515 A1 8/2003 Kai et al.	
2003/0163351 A1 8/2003 Brown	
2003/0168338 A1 9/2003 Gao et al	
2003/0100330 A1 $3/2003$ Cao Can.	
2003/0199/90 A1 $10/2003$ Boecker et al.	
2003/0208113 A1 $11/2003$ Mault et al.	
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al.	
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Elabortz et al.	
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 12004 Flaherty et al.	
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al.	al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0041749 A1 3/2004 Dixon	al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0054263 A1 3/2004 Moerman et al.	al. 1
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al.	al. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0054263 A1 3/2004 Dixon 2004/0060818 A1 4/2004 Feldman et al	al. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0041749 A1 3/2004 Dixon 2004/0054263 A1 4/2004 Feldman et al 2004/0060818 A1 4/2004 Sakamoto et al	al. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al 2004/0060818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 DeNuzzio et al	al. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/001207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al 2004/0060818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 DeNuzzio et al 2004/0063435 A1 4/2004 DeNuzzio et al 2004/0073266 A1 4/2004 DeNuzzio et al	al. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et al. 2004/0041749 A1 3/2004 Dixon 2004/00634263 A1 3/2004 Moerman et al. 2004/0060818 A1 4/2004 Feldman et al. 2004/0063435 A1 4/2004 Sakamoto et al. 2004/0064068 A1 4/2004 Haefner et al. 2004/0073266 A1 4/2004 Haefner et al.	al. 1. 1. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0054263 A1 3/2004 Dixon 2004/006818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 Sakamoto et a 2004/0064068 A1 4/2004 Haefner et al. 2004/0073266 A1 4/2004 Haefner et al. 2004/0078215 A1 4/2004 Dahlin et al.	al. 1. .l. .l.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Dixon 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al 2004/0060818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 DeNuzzio et al 2004/0064068 A1 4/2004 DeNuzzio et al 2004/0073266 A1 4/2004 Dahlin et al. 2004/0078215 A1 6/2004 Say et al.	al. 1. .1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/001207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0041749 A1 3/2004 Dixon 2004/0060818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 Sakamoto et a 2004/0064068 A1 4/2004 DeNuzzio et a 2004/0073266 A1 4/2004 Haefner et al. 2004/0078215 A1 6/2004 Say et al. 2004/016858 A1 6/2004 Say et al.	al. 1. .1. .1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0054263 A1 3/2004 Dixon 2004/0063818 A1 4/2004 Feldman et al 2004/0063083 A1 4/2004 Sakamoto et a 2004/0064068 A1 4/2004 BeNuzzio et a 2004/0073266 A1 4/2004 Dahlin et al. 2004/0078215 A1 6/2004 Say et al. 2004/016858 A1 6/2004 Shahmirian et 2004/0123330 A1 7/2004 OSovie et al.	al. 1. 1. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al 2004/006818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 DeNuzzio et al 2004/0064068 A1 4/2004 DeNuzzio et al 2004/0073266 A1 4/2004 Dahlin et al. 2004/0078215 A1 6/2004 Say et al. 2004/0122353 A1 6/2004 Shahmirian et 2004/0122353 A1 7/2004 Osorio et al.	al. 1. 1. 11. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0041749 A1 3/2004 Dixon 2004/006818 A1 4/2004 Feldman et al 2004/0064068 A1 4/2004 DeNuzzio et a 2004/0064068 A1 4/2004 DeNuzzio et al 2004/0073266 A1 4/2004 Dahlin et al. 2004/0078215 A1 6/2004 Say et al. 2004/016858 A1 6/2004 Say et al. 2004/01233390 A1 7/2004 Osorio et al.	al. 1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0054263 A1 3/2004 Dixon 2004/006818 A1 4/2004 Feldman et al 2004/006305 A1 4/2004 Sakamoto et a 2004/0064068 A1 4/2004 Haefner et al. 2004/0073266 A1 4/2004 Bahine et al. 2004/0078215 A1 4/2004 Dahlin et al. 2004/0123533 A1 6/2004 Say et al. 2004/012353 A1 6/2004 Shahmirian et 2004/0133390 A1 7/2004 Steinthal et al 2004/0138588 A1 7/2004 Saikley et al.	al. 1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0041749 A1 3/2004 Dixon 2004/00634263 A1 3/2004 Moerman et al. 2004/0063435 A1 4/2004 Sakamoto et al. 2004/0064068 A1 4/2004 DeNuzzio et al. 2004/0073266 A1 4/2004 Dahlin et al. 2004/0078215 A1 4/2004 Sakamoto et al. 2004/0122333 A1 6/2004 Say et al. 2004/0133390 A1 7/2004 Steinthal et al. 2004/0135688 A1 7/2004 Saikley et al. 2004/0137828 A1 7/2004 Thomsson	al. 1. 1. 1. 1. 1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0015027 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Moerman et al 2004/0054263 A1 3/2004 Moerman et al 2004/006818 A1 4/2004 Feldman et al 2004/0064068 A1 4/2004 DeNuzzio et al 2004/0073266 A1 4/2004 Dahlin et al. 2004/0078215 A1 4/2004 Dahlin et al. 2004/012353 A1 6/2004 Say et al. 2004/0133390 A1 7/2004 Serinthal et al 2004/0135684 A1 7/2004 Saikley et al. 2004/0138588 A1 7/2004 Saikley et al. 2004/0147872 A1 7/2004 Saikley et al.	al. .1. .1.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0054263 A1 3/2004 Dixon 2004/006818 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 Belman et al 2004/0063435 A1 4/2004 Belman et al 2004/0063435 A1 4/2004 Haefner et al. 2004/0073266 A1 4/2004 Bahini et al. 2004/0078215 A1 4/2004 Bahini et al. 2004/0123533 A1 6/2004 Shahmirian et 2004/0133390 A1 7/2004 Steinthal et al 2004/0138588 A1 7/2004 Steinthal et al 2004/0138588 A1 7/2004 Steinthal et al. 2004/0138588 A1 7/2004 Steinthal et al. 2004/0138582 A1	al. .1. .1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/001207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0041749 A1 3/2004 Dixon 2004/0063435 A1 4/2004 Feldman et al 2004/0063435 A1 4/2004 Sakamoto et al 2004/0064068 A1 4/2004 Behuzzio et al 2004/0073266 A1 4/2004 Bahimitian et al. 2004/0078215 A1 4/2004 Bahimitian et al. 2004/0122353 A1 6/2004 Say et al. 2004/0133390 A1 7/2004 Steinthal et al 2004/0135684 A1 7/2004 Saikley et al. 2004/0135684 A1 7/2004 Saikley et al. 2004/0135684 A1 7/2004 Saikley et al. 2004/0147872 A1 7/2004 Keith et al. 2004/0152622 A1	al. 1. 1. 1. 1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al 2004/006818 A1 4/2004 Feldman et al 2004/0064068 A1 4/2004 DeNuzzio et al 2004/0064068 A1 4/2004 Dahlin et al. 2004/0064068 A1 4/2004 Dahlin et al. 2004/0073266 A1 4/2004 Dahlin et al. 2004/012353 A1 6/2004 Say et al. 2004/0123390 A1 7/2004 Steinthal et al 2004/0133588 A1 7/2004 Saikley et al. 2004/0138588 A1 7/2004 Keith et al. 2004/015822 A1 7/2004 Keith et al. 2004/0167801 A1 8/2004 <td>al. 1. 1. 1. 1. 1. al.</td>	al. 1. 1. 1. 1. 1. al.
2003/0208113 A1 11/2003 Mauit et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0041749 A1 3/2004 Moerman et al 2004/0063485 A1 4/2004 Feldman et al 2004/0064068 A1 4/2004 Bakamoto et al 2004/0078215 A1 4/2004 Bakamoto et al. 2004/016858 A1 6/2004 Say et al. 2004/016858 A1 6/2004 Sakamoto et al. 2004/0133390 A1 7/2004 Steinthal et al 2004/0135688 A1 7/2004 Saikley et al. 2004/0138588 A1 7/2004 Thompson 2004/0147872 A1 8/2004 Keith et al. 2004/0167801 A1 8/2004 Say et al. 2004/0167801 A1 8/2004 </td <td>al. .1. .1. al.</td>	al. .1. .1. al.
2003/0208113A1 $11/2003$ Mault et al. $2003/0212379$ A1 $11/2003$ Bylund et al. $2004/0010207$ A1 $1/2004$ Flaherty et al. $2004/001207$ A1 $1/2004$ Flaherty et al. $2004/001207$ A1 $1/2004$ Cummings et $2004/0015102$ A1 $3/2004$ Moerman et al $2004/0054263$ A1 $3/2004$ Moerman et al $2004/0060818$ A1 $4/2004$ Feldman et al $2004/0064068$ A1 $4/2004$ DeNuzzio et al $2004/0073266$ A1 $4/2004$ Dahlin et al. $2004/0073266$ A1 $4/2004$ Bahmirian et $2004/016858$ A1 $6/2004$ Say et al. $2004/0133390$ A1 $7/2004$ Steinthal et al $2004/0135684$ A1 $7/2004$ Steinthal et al $2004/0135684$ A1 $7/2004$ Saikley et al. $2004/0152622$ A1 $8/2004$ Say et al. $2004/01572$ A1 $8/2004$ Say et al. $2004/017921$ A1 $9/2004$ Say et al. $2004/0176672$ A1 $9/2004$ Silver et al. $2004/0167677$ A1 $9/2004$ Silver et al.	al. .1. .1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0015027 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al 2004/006818 A1 4/2004 Feldman et al 2004/0064068 A1 4/2004 DeNuzzio et al 2004/0064068 A1 4/2004 Dahlin et al. 2004/0063435 A1 4/2004 Dahlin et al. 2004/0063435 A1 4/2004 Dahlin et al. 2004/0078215 A1 6/2004 Say et al. 2004/016858 A1 7/2004 Steinthal et al 2004/0133508 A1 7/2004 Steinthal et al. 2004/0135684 A1 7/2004 Sakley et al. 2004/0147872 A1 7/2004 Say et al. 2004/017801 A1 8/200	al. .1. .1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al. 2004/0060818 A1 4/2004 Sakamoto et al. 2004/0064068 A1 4/2004 Bahamoto et al. 2004/0064068 A1 4/2004 Bahamoto et al. 2004/0073266 A1 4/2004 Bahamirian et al. 2004/0078215 A1 6/2004 Say et al. 2004/0122353 A1 6/2004 Sahamirian et al. 2004/0133508 A1 7/2004 Saikley et al. 2004/0135684 A1 7/2004 Saikley et al. 2004/0135684 A1 7/2004 Saikley et al. 2004/0156622 A1 8/2004 Keith et al. 2004/0156721 A1	al. .1. .1. al.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0010207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Flaherty et al.2004/0015102A1 $1/2004$ Cummings et2004/0041749A1 $3/2004$ Dixon2004/0054263A1 $3/2004$ Moerman et al2004/00630818A1 $4/2004$ Feldman et al2004/0064068A1 $4/2004$ DeNuzzio et al2004/0064068A1 $4/2004$ Bakmoto et al2004/0073266A1 $4/2004$ Bakmoto et al2004/0073266A1 $4/2004$ Bahin et al.2004/016858A1 $6/2004$ Say et al.2004/0133390A1 $7/2004$ Steinthal et al2004/0135684A1 $7/2004$ Saikley et al.2004/0135684A1 $7/2004$ Saikley et al.2004/015622A1 $8/2004$ Say et al.2004/0167801A1 $8/2004$ Say et al.2004/0176672A1 $9/2004$ Silver et al.2004/0204868A1 $10/2004$ Mogensen et2004/0204868A1 $10/2004$ Mugnard et al2004/0204886A1 $10/2004$ Mugnard et al	al. .1. .1.
2003/0208113A1 $11/2003$ Mault et al. $2003/0212379$ A1 $11/2003$ Bylund et al. $2004/001207$ A1 $1/2004$ Flaherty et al. $2004/0015102$ A1 $1/2004$ Cummings et $2004/0015102$ A1 $1/2004$ Cummings et $2004/0015102$ A1 $3/2004$ Dixon $2004/0054263$ A1 $3/2004$ Moerman et al $2004/006818$ A1 $4/2004$ Feldman et al $2004/0064068$ A1 $4/2004$ DeNuzzio et al $2004/0064068$ A1 $4/2004$ Dahlin et al. $2004/0064068$ A1 $4/2004$ Dahlin et al. $2004/0078215$ A1 $4/2004$ Dahlin et al. $2004/016858$ A1 $6/2004$ Say et al. $2004/0133390$ A1 $7/2004$ Steinthal et al $2004/0135684$ A1 $7/2004$ Saikley et al. $2004/0135684$ A1 $7/2004$ Say et al. $2004/0178212$ A1 $8/2004$ Say et al. $2004/0179211$ A1 $9/2004$ Say et al. $2004/0176672$ A1 $9/2004$ Say et al. $2004/0204687$ A1 $10/2004$ Mogensen et $2004/024868$ A1 $10/2004$ Maynard et al $2004/0247671$ A1 $12/2004$ Parcectt et al	al. 1. .1. .1. al.
2003/0208113 A1 11/2003 Mault et al. 2003/0212379 A1 11/2003 Bylund et al. 2004/001207 A1 1/2004 Flaherty et al. 2004/001207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et 2004/0015102 A1 3/2004 Dixon 2004/0041749 A1 3/2004 Moerman et al. 2004/0063435 A1 4/2004 Sakamoto et al. 2004/0064068 A1 4/2004 Bahamoto et al. 2004/0063435 A1 4/2004 Bahamoto et al. 2004/0073266 A1 4/2004 Bahamiria et al. 2004/0122353 A1 6/2004 Say et al. 2004/0123359 A1 7/2004 Saikley et al. 2004/01335684 A1 7/2004 Saikley et al. 2004/0135688 A1 7/2004 Saikley et al. 2004/0135684 A1 7/2004 Saikley et al. 2004/0152622 A1 8/2004 Keith et al. 2004/017671 A1	al.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0015102A1 $1/2004$ Flaherty et al.2004/0015102A1 $1/2004$ Cummings et2004/0015102A1 $1/2004$ Cummings et2004/0015102A1 $3/2004$ Dixon2004/0054263A1 $3/2004$ Moerman et al2004/006818A1 $4/2004$ Feldman et al2004/0064068A1 $4/2004$ DeNuzzio et al2004/0064068A1 $4/2004$ Dahlin et al.2004/0073266A1 $4/2004$ Dahlin et al.2004/0078215A1 $4/2004$ Dahlin et al.2004/016858A1 $6/2004$ Say et al.2004/012353A1 $7/2004$ Steinthal et al2004/0133588A1 $7/2004$ Saikley et al.2004/015622A1 $8/2004$ Keith et al.2004/0167801A1 $8/2004$ Say et al.2004/0204687A1 $10/2004$ Mogensen et2004/0204868A1 $10/2004$ Mogensen et2004/0204868A1 $10/2004$ Mogensen et2004/0247671A1 $12/2004$ Prescott et al.2004/0249253A1 $12/2004$ Racchini et al	al. 1. 1. 1. 1. 1. al.
2003/0208113 A1 11/2003 Mauit et al. 2003/0212379 A1 11/2004 Bylund et al. 2004/0010207 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Flaherty et al. 2004/0015102 A1 1/2004 Cummings et al. 2004/0015102 A1 3/2004 Dixon 2004/0054263 A1 3/2004 Moerman et al. 2004/0060818 A1 4/2004 Sakamoto et al. 2004/0064068 A1 4/2004 Belman et al. 2004/0064068 A1 4/2004 DeNuzzio et al. 2004/0073266 A1 4/2004 Bahmirian et al. 2004/0078215 A1 6/2004 Sakamoto et al. 2004/0122353 A1 6/2004 Sahmirian et al. 2004/0133500 A1 7/2004 Saikley et al. 2004/0138588 A1 7/2004 Saikley et al. 2004/0138588 A1 7/2004 Saikley et al. 2004/0147872 A1 8/2004 Keith et al. 2004/0178672 A	al. 1. .1. .1. al.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0010207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Cummings et2004/0041749A1 $3/2004$ Dixon2004/0060818A1 $4/2004$ Feldman et al2004/0063435A1 $4/2004$ Sakamoto et al2004/0064068A1 $4/2004$ Bakamoto et al2004/0073266A1 $4/2004$ Bakamoto et al2004/0122353A1 $6/2004$ Say et al.2004/0122353A1 $6/2004$ Sakamirian et2004/0135684A1 $7/2004$ Steinthal et al2004/0135684A1 $7/2004$ Saikley et al.2004/0152622A1 $8/2004$ Say et al.2004/017801A1 $8/2004$ Say et al.2004/0176672A1 $9/2004$ Say et al.2004/024868A1 $10/2004$ Mogensen et2004/024868A1 $10/2004$ Mogensen et2004/024868A1 $10/2004$ Prescott et al.2004/024871A1 $12/2004$ Prescott et al.2004/0248673A1 $12/2004$ Bandis et al.2004/024863A1 $12/2004$ Bandis et al.2004/0254433A1 $12/2004$ Bandis et al.	al. 1.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0015102A1 $1/2004$ Flaherty et al.2004/0015102A1 $1/2004$ Cummings et2004/0015102A1 $1/2004$ Cummings et2004/0015102A1 $3/2004$ Dixon2004/0054263A1 $3/2004$ Moerman et al2004/006318A1 $4/2004$ Feldman et al2004/0064068A1 $4/2004$ DeNuzzio et al2004/0064068A1 $4/2004$ DeNuzzio et al2004/0063266A1 $4/2004$ Dahlin et al.2004/0073266A1 $4/2004$ Dahlin et al.2004/016858A1 $6/2004$ Say et al.2004/016858A1 $7/2004$ Steinthal et al2004/0135684A1 $7/2004$ Saikley et al.2004/0135684A1 $7/2004$ Saikley et al.2004/0135684A1 $7/2004$ Saikley et al.2004/0135684A1 $7/2004$ Saikley et al.2004/0147872A1 $8/2004$ Keith et al.2004/017921A1 $9/2004$ Say et al.2004/024687A1 $10/2004$ Mogensen et2004/024868A1 $10/2004$ Magnard et al2004/0247671A1 $12/2004$ Pacchini et al2004/0249253A1 $12/2004$ Bandis et al.2004/0254433A1 $12/2004$ Goodnow et al2004/0254433A1 $12/200$	al. 1. .1. 11. al.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0010207A1 $1/2004$ Flaherty et al.2004/0015102A1 $1/2004$ Flaherty et al.2004/0015102A1 $1/2004$ Cummings et2004/0041749A1 $3/2004$ Dixon2004/0063435A1 $4/2004$ Feldman et al2004/0063435A1 $4/2004$ Sakamoto et al2004/0064068A1 $4/2004$ Baharoto et al2004/0073266A1 $4/2004$ Baharirian et al.2004/0078215A1 $4/2004$ Baharririan et al.2004/0122353A1 $6/2004$ Say et al.2004/0135684A1 $7/2004$ Saikley et al.2004/0135684A1 $7/2004$ Saikley et al.2004/0135684A1 $7/2004$ Saikley et al.2004/0135622A1 $8/2004$ Keith et al.2004/0152622A1 $8/2004$ Say et al.2004/0176701A1 $8/2004$ Say et al.2004/0204868A1 $10/2004$ Mogensen et2004/0204868A1 $10/2004$ Magnard et al2004/024923A1 $12/2004$ Racchini et al2004/0249671A1 $12/2004$ Bandiis et al.2004/0254433A1 $12/2004$ Goodnow et al.2004/0254433A1 $12/2004$ Schwamm	al. 1. .1. 11. 11.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0010207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Cummings et2004/0041749A1 $3/2004$ Dixon2004/006818A1 $4/2004$ Feldman et al2004/0064068A1 $4/2004$ Belwaroto et a2004/0064068A1 $4/2004$ Belwaroto et a2004/0064068A1 $4/2004$ Belwaroto et al2004/0064068A1 $4/2004$ Bakmoto et al2004/0073266A1 $4/2004$ Bahin et al.2004/0078215A1 $4/2004$ Bahini rian et2004/016858A1 $6/2004$ Say et al.2004/0133508A1 $7/2004$ Steinthal et al2004/0135684A1 $7/2004$ Saikley et al.2004/015622A1 $8/2004$ Say et al.2004/017872A1 $7/2004$ Say et al.2004/0176672A1 $9/2004$ Say et al.2004/0204868A1 $10/2004$ Mogensen et2004/023985A1 $10/2004$ Magnard et al2004/0249253A1 $12/2004$ Bandis et al.2004/02604771A1 $12/2004$ Bandis et al.2004/0260478A1 $12/2004$ Goodnow et al.2004/0260478A1 $12/2004$ Schwamm2004/0260478A1 $12/2004$	al. 1. al.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0010207A1 $1/2004$ Flaherty et al.2004/0015102A1 $1/2004$ Flaherty et al.2004/0015102A1 $3/2004$ Dixon2004/0041749A1 $3/2004$ Moerman et al.2004/00634263A1 $3/2004$ Feldman et al.2004/0063435A1 $4/2004$ Feldman et al.2004/0064068A1 $4/2004$ Bakamoto et al.2004/0078215A1 $4/2004$ Bakamoto et al.2004/016858A1 $6/2004$ Say et al.2004/0138588A1 $7/2004$ Saikley et al.2004/0138588A1 $7/2004$ Saikley et al.2004/0138588A1 $7/2004$ Saikley et al.2004/0178622A1 $8/2004$ Keith et al.2004/0178622A1 $8/2004$ Say et al.2004/0167801A1 $8/2004$ Say et al.2004/0176672A1 $9/2004$ Say et al.2004/0204687A1 $10/2004$ Mogensen et al.2004/0204868A1 $10/2004$ Magnard et al.2004/0249253A1 $12/2004$ Bandis et al.2004/0254433A1 $12/2004$ Bandis et al.2004/0254434A1 $12/2004$ Schwamm2004/0264788A1 $12/2004$ Schwamm2004/0254434A1 $12/2004$ Schwamm2004/0264730A1 $12/2004$ </td <td>al. 1. .1. .1.</td>	al. 1. .1. .1.
2003/0208113A1 $11/2003$ Mault et al.2003/0212379A1 $11/2003$ Bylund et al.2004/0010207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Flaherty et al.2004/001207A1 $1/2004$ Cummings et2004/0041749A1 $3/2004$ Dixon2004/0060818A1 $4/2004$ Feldman et al2004/0063435A1 $4/2004$ Sakamoto et al2004/0064068A1 $4/2004$ Bahamoto et al2004/0064068A1 $4/2004$ Bahamoto et al2004/0073266A1 $4/2004$ Bahamita et al.2004/0122353A1 $6/2004$ Say et al.2004/0133568A1 $7/2004$ Steinthal et al2004/0135684A1 $7/2004$ Steinthal et al2004/0135684A1 $7/2004$ Saikley et al.2004/0152622A1 $8/2004$ Say et al.2004/0152622A1 $8/2004$ Say et al.2004/017872A1 $9/2004$ Say et al.2004/0204868A1 $10/2004$ Mogensen et2004/0204868A1 $10/2004$ Maynard et al2004/0204868A1 $12/2004$ Bandis et al.2004/0204868A1 $12/2004$ Bandis et al.2004/0204868A1 $12/2004$ Bandis et al.2004/0204868A1 $12/2004$ Goodnow et al.2004/0204868A1 $12/2004$ Goodnow et al.2004/0204868A1	al. 1. al.
2003/0208113A111/2003Mault et al.2003/0212379A111/2003Bylund et al.2004/0015102A11/2004Flaherty et al.2004/0015102A11/2004Cummings et2004/0015102A11/2004Dixon2004/0054263A13/2004Moerman et al2004/006818A14/2004Feldman et al2004/0064068A14/2004DeNuzzio et al2004/0064068A14/2004DeNuzzio et al2004/0064068A14/2004Dahlin et al.2004/0073266A14/2004Dahlin et al.2004/0078215A14/2004Dahlin et al.2004/016858A16/2004Say et al.2004/0133390A17/2004Steinthal et al2004/0135684A17/2004Saikley et al.2004/0135684A17/2004Saikley et al.2004/0147872A17/2004Say et al.2004/015622A18/2004Say et al.2004/0167801A18/2004Say et al.2004/0204687A110/2004Mogensen et2004/0204868A110/2004Mogensen et2004/0204868A110/2004Bandis et al2004/0247671A112/2004Racchini et al2004/025433A112/2004Goodnow et al2004/0264730A112/2004Schwamm2004/0264730A112/2004Kusaka et al.2005/0001024	al. 1. .1. 1. 1.
2003/0208113A111/2003Mault et al.2003/0212379A111/2004Bylund et al.2004/0010207A11/2004Flaherty et al.2004/0015102A11/2004Cummings et2004/0041749A13/2004Dixon2004/0054263A13/2004Moerman et al.2004/00604818A14/2004Feldman et al.2004/0064068A14/2004Belwarto et al.2004/0064068A14/2004DeNuzzio et al.2004/0073266A14/2004Dahlin et al.2004/0078215A14/2004Sakamoto et al.2004/0122353A16/2004Say et al.2004/0135684A17/2004Saikley et al.2004/0135688A17/2004Saikley et al.2004/0138588A17/2004Saikley et al.2004/017872A18/2004Keith et al.2004/0178672A18/2004Say et al.2004/0176701A18/2004Say et al.2004/0249687A110/2004Mogensen et2004/0249673A112/2004Bandis et al.2004/0249253A112/2004Bandis et al.2004/0254433A112/2004Bandis et al.2004/0254434A112/2004Schwamm2004/0264778A112/2004Schwamm2004/0264784A112/2005Keiska et al.2004/0254434A112/2005Keiska et al.2005/0003470<	al. 1. 1. 1. 1. al.
2003/0208113A111/2003Mault et al.2003/0212379A111/2003Bylund et al.2004/0010207A11/2004Flaherty et al.2004/001207A11/2004Cummings et2004/0015102A11/2004Cummings et2004/0041749A13/2004Dixon2004/0060818A14/2004Feldman et al2004/00604068A14/2004Sakamoto et al2004/0064068A14/2004Bakamoto et al2004/0064068A14/2004DeNuzzio et al2004/0073266A14/2004Dahlin et al.2004/0173266A14/2004Dahlin et al.2004/0122353A16/2004Say et al.2004/0123359A17/2004Osorio et al.2004/0133588A17/2004Steinthal et al2004/0135684A17/2004Saikley et al.2004/0152622A18/2004Say et al.2004/0167801A18/2004Say et al.2004/0176672A19/2004Say et al.2004/0204868A110/2004Mogensen et2004/024868A110/2004Mogensen et2004/024868A112/2004Bandis et al.2004/0249253A112/2004Bandis et al.2004/02466771A112/2004Goodnow et al2004/0246678A112/2004Schwamm2004/0260478A112/2004Kuska et al.2005/0001024	al. 1.
2003/0208113A111/2003Mault et al.2003/0212379A111/2003Bylund et al.2004/0015102A11/2004Flaherty et al.2004/0015102A11/2004Cummings et2004/0015102A11/2004Dixon2004/0054263A13/2004Dixon2004/0064058A14/2004Feldman et al2004/0064068A14/2004DeNuzzio et al2004/0064068A14/2004DeNuzzio et al2004/0064068A14/2004Dahlin et al.2004/0073266A14/2004Dahlin et al.2004/0078215A14/2004Dahlin et al.2004/012353A16/2004Say et al.2004/0133590A17/2004Steinthal et al2004/0135684A17/2004Saikley et al.2004/0135684A17/2004Saikley et al.2004/0147872A17/2004Saikley et al.2004/015622A18/2004Keith et al.2004/0167801A18/2004Say et al.2004/0204687A110/2004Mogensen et2004/0247671A112/2004Prescott et al.2004/0247671A112/2004Bandis et al.2004/0247633A112/2004Schwamm2004/026478A112/2004Schwamm2004/026478A112/2004Kacehini et al2004/026478A112/2005Kusaka et al.2005/0001024A1 </td <td>al. 1. 1. 1. 1. 1. al.</td>	al. 1. 1. 1. 1. 1. al.

2005/0038680	Al	2/2005	McMahon
2005/0043598	A1	2/2005	Goode, Jr. et al.
2005/0049179	Al	3/2005	Davidson et al.
2005/0070774	Al	3/2005	Addison et al.
2005/0090607	AI	4/2005	Tapsak et al.
2003/0090311		5/2005	FOX et al. Soukan et al
2005/0113886	AI	5/2005	Fischell et al
2005/0114068	Al	5/2005	Chev et al.
2005/0116683	Al	6/2005	Cheng et al.
2005/0137530	Al	6/2005	Campbell et al.
2005/0173245	Al	8/2005	Feldman et al.
2005/0176136	Al	8/2005	Burd et al.
2005/0182306	Al	8/2005	Sloan
2005/0184153	Al	8/2005	Auchinleck
2005/0187442	Al	8/2005	Cho et al.
2005/0192493	AI	9/2005	WUOII Smital at al
2005/0193930	AI	9/2003	Von Ary et al.
2005/0204134		9/2005	Kovatchev et al.
2005/0245799	Al	11/2005	Brauker et al
2005/0251033	Al	11/2005	Scarantino et al.
2005/0277912	Al	12/2005	John
2006/0001538	Al	1/2006	Kraft et al.
2006/0001551	Al	1/2006	Kraft et al.
2006/0010098	Al	1/2006	Goodnow et al.
2006/0015020	Al	1/2006	Neale et al.
2006/0015024	Al	1/2006	Brister et al.
2006/001/923	AI	1/2006	Nuchti et al.
2000/0020300		2/2006	Cohen et al
2006/0079740	Al	4/2006	Silver et al.
2006/0091006	Al	5/2006	Wang et al.
2006/0099971	A1	5/2006	Staton et al.
2006/0142651	Al	6/2006	Brister et al.
2006/0154642	Al	7/2006	Scannell
2006/0161225	Al	7/2006	Sormann et al.
2006/0166629	Al	7/2006	Reggiardo
2006/01/3406	AI	8/2006	Haves et al.
2000/0189805		8/2006	reyser et al.
2006/0193375	AI	10/2006	Brauker et al
2006/0224141	Al	10/2006	Rush et al.
2006/0226985	Al	10/2006	Goodnow et al.
2006/0247508	Al	11/2006	Fennell
2006/0247985	Al	11/2006	Liamos et al.
2006/0258929	Al	11/2006	Goode et al.
2006/02/2652	AI	12/2006	Stocker et al.
2006/0290490	AI	12/2006	Alt of al
2007/0010950	AI	1/2007	Abensour et al
2007/0016381	Al	1/2007	Karnath et al.
2007/0017983	Al	1/2007	Frank et al.
2007/0027381	Al	2/2007	Stafford
2007/0033074	Al	2/2007	Nitzan et al.
2007/0060869	Al	3/2007	Tolle et al.
2007/0060979	AI	3/2007	Strother et al.
2007/0056956	AI	3/2007	Finkel Shah at al
2007/0073129		3/2007	Shan et al.
2007/0078320		4/2007	Mazza et al
2007/0078322	AI	4/2007	Stafford
2007/0078818	Al	4/2007	Zvitz et al.
2007/0093786	Al	4/2007	Goldsmith et al.
2007/0118030	Al	5/2007	Bruce et al.
2007/0149875	Al	6/2007	Ouyang et al.
2007/0173706	Al	7/2007	Neinast et al.
2007/0173709	Al	7/2007	Petisce et al.
2007/0173710	AI	2007	Petisce et al.
2007/0191702	AI	8/2007 8/2007	Hose of al
2007/0203407	AI	0/2007 8/2007	rioss et al.
2007/0203339	A1	8/2007	Brauker et al
2007/0203900	A1	9/2007	Brauker et al
2007/0228071	Al	10/2007	Kamen et al
2007/0231846	Al	10/2007	Cosentino et al
2007/0232878	Al	10/2007	Kovatchev et al.
2007/0235331	Al	10/2007	Simpson et al.
2007/0249922	Al	10/2007	Peyser et al.

2007/0255321	A 1	11/2007	Gerber et al
2007/0255321	A 1	11/2007	Holtzalew
2007/0255548	A1	1/2007	T
2008/0004904	AI	1/2008	Iran
2008/0009692	AI	1/2008	Stafford
2008/0033254	A1	2/2008	Karnath et al.
2008/0039702	A1	2/2008	Hayter et al.
2008/0045824	A1	2/2008	Tapsak et al.
2008/0060955	A1	3/2008	Goodnow
2000/0061061	A 1	2/2008	John
2008/0001901	A1	3/2008	Simmer a st s1
2008/0083017	AI	4/2008	Simpson et al.
2008/0092638	Al	4/2008	Brenneman et al.
2008/0114228	A1	5/2008	McCluskey et al.
2008/0125636	A1	5/2008	Ward et al.
2008/0127052	A1	5/2008	Rostoker
2008/0177149	A1	7/2008	Weinert et al
2008/010/03/	A 1	8/2008	Ray et al
2000/0104029	A 1	8/2008	Drigtor of al
2008/0194938	A1	0/2008	
2008/019/024	AI	8/2008	Simpson et al.
2008/0200788	Al	8/2008	Brister et al.
2008/0200789	A1	8/2008	Brister et al.
2008/0200791	A1	8/2008	Simpson et al.
2008/0201325	A1	8/2008	Doniger et al.
2008/0208025	A1	8/2008	Shults et al
2008/021/018	A 1	0/2008	Brister et al
2008/0214918	A1	0/2008	Shulta at al
2008/0228031	AI	9/2008	Shufts et al.
2008/0228054	AI	9/2008	Shults et al.
2008/0228055	Al	9/2008	Sher
2008/0234943	A1	9/2008	Ray et al.
2008/0242961	A1	10/2008	Brister et al.
2008/0242963	A1	10/2008	Essenpreis et al.
2008/0254544	A1	10/2008	Modzelewski et al
2008/0262469	A 1	10/2008	Brister et al
2000/0202407	A 1	10/2008	Mastratatara at al
2008/0209714	AI	10/2008	Mastrototaro et al.
2008/0269723	AI	10/2008	Mastrototaro et al.
2008/0287764	Al	11/2008	Rasdal et al.
2008/0296155	A1	12/2008	Shults et al.
2008/0300572	A1	12/2008	Rankers et al.
2008/0306434	A1	12/2008	Dobbles et al.
2008/0306435	A 1	12/2008	Karnath et al
2008/0306444	A 1	12/2008	Brister et al
2008/0212041	A 1	12/2008	Houter
2008/0312841	AI	12/2008	riayter
2008/0312859	AI	12/2008	Skyggebjerg et al.
2008/0319085	Al	12/2008	Wright et al.
2009/0006061	A1	1/2009	Thukral et al.
2009/0012377	A1	1/2009	Jennewine et al.
2009/0018424	A1	1/2009	Karnath et al.
2009/0024177	A1	1/2009	Shuros et al
2009/0030294	<u>A</u> 1	1/2009	Petisce et al
2000/0026758	A 1	2/2000	Prouker et al
2009/0030738	A1	2/2009	Drawlyan at al
2009/0036763	AI	2/2009	Brauker et al.
2009/0040022	AI	2/2009	Finkenzeller
2009/0043181	Al	2/2009	Brauker et al.
2009/0048503	A1	2/2009	Dalal et al.
2009/0054747	A1	2/2009	Fennell
2009/0054749	A1	2/2009	He
2009/0055149	A 1	2/2009	Havter et al
2009/0062633	A 1	3/2009	Brouker et al
2009/0002033	A1	2/2009	Simpson at al
2009/0070330	AI	3/2009	Simpson et al.
2009/00/6360	AI	3/2009	Brister et al.
2009/0082693	Al	3/2009	Stafford
2009/0085768	A1	4/2009	Patel et al.
2009/0085873	A1	4/2009	Betts et al.
2009/0088787	A1	4/2009	Koike et al.
2009/0093687	A1	4/2009	Telfort et al.
2009/0099436	Al	4/2009	Brister et al
2000/0105626	A 1	1/2000	Hautor of al
2003/0103030	A1	5/2009	Driston of al.
2009/01248/9	AI	5/2009	Differ et al.
2009/0124964	AI	5/2009	Leach et al.
2009/0131768	Al	5/2009	Simpson et al.
2009/0131769	A1	5/2009	Leach et al.
2009/0131776	Al	5/2009	Simpson et al.
2009/0131777	A1	5/2000	Simpson et al
2000/0121960	A 1	5/2009	Nielson
2009/0131800	AI	5/2009	INTERSET
2009/0137886	AI	5/2009	Shariati et al.
2009/0137887	A1	5/2009	Shariati et al.

2009/0143659 A1	6/2009	Li et al.
2009/0156924 A1	6/2009	Shariati et al.
2009/0163791 A1	6/2009	Brister et al.
2009/01/8459 AI	7/2009	Li et al.
2009/0182217 AI	7/2009	Li et al. Mongingor et el
2009/0192300 AT	7/2009	Shariati at al
2009/0192380 A1	7/2009	Shariati et al
2009/0192722 A1	7/2009	Brauker et al
2009/0192724 A1	7/2009	Karnath et al.
2009/0192751 A1	7/2009	Karnath et al.
2009/0216100 A1	8/2009	Ebner et al.
2009/0216103 A1	8/2009	Brister et al.
2009/0240120 A1	9/2009	Mensinger et al.
2009/0240128 A1	9/2009	Mensinger et al.
2009/0240193 A1	9/2009	Mensinger et al.
2009/0242399 A1	10/2009	Karnath et al.
2009/0242425 A1	10/2009	Karnath et al.
2009/0247855 A1	10/2009	Boock et al.
2009/0247856 A1	10/2009	Boock et al.
2009/0298182 AI	12/2009	Schulat et al.
2009/0299155 AI	12/2009	Yang et al.
2009/0299130 AI	12/2009	Brouker et al.
2009/0299102 A1	12/2009	Brauker et al.
2010/0076283 A1	3/2010	Simpson et al
2010/0093786 A1	4/2010	Watanabe et al.
2010/0096259 A1	4/2010	Zhang et al.
2010/0105999 A1	4/2010	Dixon et al.
2010/0113897 A1	5/2010	Brenneman et al.
2010/0141656 A1	6/2010	Krieftewirth
2010/0146300 A1	6/2010	Brown
2010/0152554 A1	6/2010	Steine et al.
2010/0160759 A1	6/2010	Celentano et al.
2010/0168538 A1	7/2010	Keenan et al.
2010/0168540 A1	7/2010	Karnath et al.
2010/0168541 AI	7/2010	Karnath et al.
2010/0168542 A1	7/2010	Karnath et al.
2010/0108545 A1 2010/0168544 A1	7/2010	Karnath et al.
2010/0168545 A1	7/2010	Karnath et al
2010/0168546 A1	7/2010	Karnath et al
2010/0168657 A1	7/2010	Karnath et al.
2010/0174168 A1	7/2010	Goode, Jr. et al.
2010/0174266 A1	7/2010	Estes
2010/0179399 A1	7/2010	Goode, Jr. et al.
2010/0179402 A1	7/2010	Goode, Jr. et al.
2010/0179405 A1	7/2010	Goode, Jr. et al.
2010/0179408 A1	7/2010	Karnath et al.
2010/0179409 A1	7/2010	Karnath et al.
2010/0185065 AI	7/2010	Goode, Jr. et al.
2010/01850/1 AI	7/2010	Simpson et al.
2010/0185072 A1	7/2010	Goode, Jr. et al.
2010/0185073 A1	7/2010	Goode Ir et al
2010/0185075 A1	7/2010	Brister et al
2010/0185175 A1	7/2010	Kamen et al.
2010/0198035 A1	8/2010	Karnath et al.
2010/0198142 A1	8/2010	Sloan et al.
2010/0213080 A1	8/2010	Celentano et al.
2010/0217105 A1	8/2010	Yodfat et al.
2010/0262201 A1	10/2010	He et al.
2010/0313105 A1	12/2010	Nekoomaram et al.
2010/0331642 A1	12/2010	Bruce et al.
2011/0024043 A1	2/2011	Boock et al.
2011/0024307 A1	2/2011	Simpson et al.
2011/0027127 AI	2/2011	Simpson et al.
2011/002/435 A1 2011/0027458 A1	2/2011	Boock et al.
2011/0028815 41	2/2011	Simpson et al
2011/0028816 A1	2/2011	Simpson et al
2011/0021086 A1	2/2011	Bhat et al
2011/0077490 41	3/2011	Simpson et al
2011/0148905 41	6/2011	Simpon et al
2011/0178461 41	7/2011	Chong et al
2011/0208027 A1	8/2011	Wagner et al
2011/0257895 A1	10/2011	Brauker et al
2011/0287528 A1	11/2011	Fern et al.
2011/0320130 A1	12/2011	Valdes et al.

U.S. PATENT DOCUMENTS

2012/0078071 A1	3/2012	Bohm et al.
2012/0108934 A1	5/2012	Valdes et al.
2012/0165626 A1	6/2012	Irina et al.
2012/0165640 A1	6/2012	Galley et al.
2013/0035575 A1	2/2013	Mayou et al.
2013/0235166 A1	9/2013	Jones et al.

FOREIGN PATENT DOCUMENTS

EP	0320109	6/1989
EP	0390390	10/1990
EP	0396788	11/1990
EP	1 707 115 A2	10/2006
WO	WO-00/59370	10/2000
WO	WO-01/52935	7/2001
WO	WO-01/54753	8/2001
WO	WO-03/82091	10/2003
WO	WO-2008/001366	1/2008
WO	WO 2008/051409 A2	5/2008
WO	WO 2008/052199 A3	5/2008
WO	WO 2008/061552 A1	5/2008

OTHER PUBLICATIONS

Bennion, N., et al., "Alternate Site Glucose Testing: A Crossover Design", Diabetes Technology & Therapeutics. vol. 4, No. 1, 2002, pp. 25-33.

Blank, T. B., et al., "Clinical Results from a Non-Invasive Blood Glucose Monitor", Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring II, Proceedings of SPIE, vol. 4624, 2002, pp. 1-10.

Brooks, S. L., et al., "Development of an On-line Glucose Sensor for Fermentation Monitoring", Biosensors, vol. 3, 1987, pp. 45-56. Cass, A. E.G., et al., "Ferrocene-Medicated Enzyme Electrode for Amperometric Determination of Glucose", Analytical Chemistry, vol. 56, No. 4, 1984, pp. 667-671.

Cheyne, E.H., et al., "Performance of a Continuous Glucose Monitoring System During Controlled Hypoglycaemia in Healthy Volunteers", Diabetes Technology & Therapeutics, vol. 4, No. 5, 2002, pp. 607-613.

Csoregi, E., et al., "Design and Optimization of a Selective Subcutaneously Implantable Glucose Electrode Based on "Wired" Glucose Oxidase", Analytical Chemistry, vol. 67, No. 7, 1995, pp. 1240-1244.

Feldman, B., et al., "A Continuous Glucose Sensor Based on Wired Enzyme™ Technology—Results from a 3-Day Trial in Patients with Type 1 Diabetes", Diabetes Technology & Therapeutics, vol. 5 No. 5, 2003, pp. 769-779.

Feldman, B., et al., "Correlation of Glucose Concentrations in Interstitial Fluid and Venous Blood During Periods of Rapid Glucose Change", Abbott Diabetes Care, Inc. Freestyle Navigator Continuous Glucose Monitor Pamphlet, 2004.

Isermann, R., "Supervision, Fault-Detection and Fault-Diagnosis Methods—An Introduction", Control Engineering Practice, vol. 5, No. 5, 1997, pp. 639-652.

Isermann, R., et al., "Trends in the Application of Model-Based Fault Detection and Diagnosis of Technical Processes", Control Engineering Practice, vol. 5, No. 5, 1997, pp. 709-719.

Johnson, P. C., "Peripheral Circulation", John Wiley & Sons, 1978, p. 198.

Jovanovic, L., "The Role of Continuous Glucose Monitoring in Gestational Diabetes Mellitus", Diabetes Technology & Therapeutics, vol. 2, Suppl. 1, 2000, pp. S67-S71.

Jungheim, K., et al., "How Rapid Does Glucose Concentration Change in Daily Life of Patients with Type 1 Diabetes?", Diabetologia, vol. 45, 2002, pp. 250.

Jungheim, K., et al., "Risky Delay of Hypoglycemia Detection by Glucose Monitoring at the Arm", Diabetes Care, vol. 24, No. 7, 2001, pp. 1303-1304. Kaplan, S. M., "Wiley Electrical and Electronics Engineering Dictionary", IEEE Press, 2004, pp. 141, 142, 548, 549.

Lodwig, V., et al., "Continuous Glucose Monitoring with Glucose Sensors: Calibration and Assessment Criteria", Diabetes Technology & Therapeutics, vol. 5, No. 4, 2003, pp. 573-587.

Lortz, J., et al., "What is Bluetooth? We Explain The Newest Short-Range Connectivity Technology", Smart Computing Learning Series, Wireless Computing, vol. 8, Issue 5, 2002, pp. 72-74. Malin, S. F., et al., "Noninvasive Prediction of Glucose by Near-Infrared Diffuse Reflectance Spectroscopy", Clinical Chemistry, vol. 45, No. 9, 1999, pp. 1651-1658.

McGarraugh, G., et al., "Glucose Measurements Using Blood Extracted from the Forearm and the Finger", TheraSense, Inc., 2001, 16 Pages.

McGarraugh, G., et al., "Physiological Influences on Off-Finger Glucose Testing", Diabetes Technology & Therapeutics, vol. 3, No. 3, 2001, pp. 367-376.

McKean, B. D., et al., "A Telemetry-Instrumentation System for Chronically Implanted Glucose and Oxygen Sensors", IEEE Transactions on Biomedical Engineering, vol. 35, No. 7, 1988, pp. 526-532.

Morbiducci, U., et al., "Improved usability of the minimal model of insulin sensitivity based on an automated approach and genetic algorithms for parameter estimation", Clinical Science, vol. 112, 2007, pp. 257-263.

Mougiakakou, S.G., et al., "A Real Time Simulation Model of Glucose-Insulin Metabolism for Type 1 Diabetes Patients", Proceedings of the 2005 IEEE Engineering in Medicine and Biology 27th Annual Conference, 2005, pp. 298-301.

Parker, R., et al., "Robust H^{∞} Glucose Control in Diabetes Using a Physiological Model", AIChE Journal, vol. 46, No. 12, 2000, pp. 2537-2549.

Pickup, J. C., et al., "Implantable Glucose Sensors: Choosing the Appropriate Sensing Strategy", Biosensors, vol. 3, 1987/88, pp. 335-346.

Pickup, J. C., et al., "In vivo molecular sensing in diabetes mellitus: an implantable glucose sensor with direct electron transfer", Diabetologia, vol. 32, 1989, pp. 213-217.

Pishko, M. V., et al., "Amperometric Glucose Microelectrodes Prepared through Immobilization of Glucose Oxidase in Redox Hydrogels", Analytical Chemistry, vol. 63, No. 20, 1991, pp. 2268-2272.

Quinn, C. P., et al., "Kinetics of glucose delivery to subcutaneous tissue in rats measured with 0.3-mm amperometric microsensors", American Journal of Physiology, vol. 269, No. 1, 1995, E155-E161. Roe, J. N., et al., "Bloodless Glucose Measurements", Critical Reviews[™] in Therapeutic Drug Carrier Systems, vol. 15, Issue 3, 1998, pp. 199-241.

Sakakida, M., et al., "Development of ferrocene-mediated needletype glucose sensor as a measure of true subcutaneous tissue glucose concentrations", Artificial Organs Today, vol. 2, No. 2, 1992, pp. 145-158.

Sakakida, M., et al., "Ferrocene-mediated needle-type glucose sensor covered with newly designed biocompatible membrane", Sensors and Actuators B, vol. 13-14, 1993, pp. 319-322.

Salehi, C., et al., "A Telemetry-Instrumentation System for Long-Term Implantable Glucose and Oxygen Sensors", Analytical Letters, vol. 29, No. 13, 1996, pp. 2289-2308.

Schmidtke, D. W., et al., "Measurement and modeling of the transient difference between blood and subcutaneous glucose concentrations in the rat after injection of insulin", Proceedings of the National Academy of Sciences, vol. 95, 1998, pp. 294-299.

Shaw, G. W., et al., "In Vitro testing of a simply constructed, highly stable glucose sensor suitable for implantation in diabetic patients", Biosensors & Bioelectronics, vol. 6, 1991, pp. 401-406.

Shichiri, M., et al., "Glycaemic Control in Pancreatectomized Dogs with a Wearable Artificial Endocrine Pancreas", Diabetologia, vol. 24, 1983, pp. 179-184.

Shichiri, M., et al., "In Vivo Characteristics of Needle-Type Glucose Sensor—Measurements of Subcutaneous Glucose Concentrations in Human Volunteers", Hormone and Metabolic Research Supplement Series, vol. 20, 1988, pp. 17-20.

OTHER PUBLICATIONS

Shichiri, M., et al., "Membrane design for extending the long-life of an implantable glucose sensor", Diabetes Nutrition and Metabolism, vol. 2, 1989, pp. 309-313. Shichiri, M., et al., "Needle-type Glucose Sensor for Wearable

Artificial Endocrine Pancreas", Implantable Sensors for Closed-Loop Prosthetic Systems, Chapter 15, 1985, pp. 197-210.

Shichiri, M., et al., "Telemetry Glucose Monitoring Device With Needle-Type Glucose Sensor: A Useful Tool for Blood Glucose Monitoring in Diabetic Individuals", Diabetes Care, vol. 9, No. 3, 1986, pp. 298-301.

Shichiri, M., et al., "Wearable Artificial Endocrine Pancreas with Needle-Type Glucose Sensor", The Lancet, 1982, pp. 1129-1131. Shults, M. C., et al., "A Telemetry-Instrumentation System for Monitoring Multiple Subcutaneously Implanted Glucose Sensors", IEEE Transactions on Biomedical Engineering, vol. 41, No. 10, 1994, pp. 937-942.

Sternberg, R., et al., "Study and Development of Multilayer Needletype Enzyme-based Glucose Microsensors", Biosensors, vol. 4, 1988, pp. 27-40.

Thompson, M., et al., "In Vivo Probes: Problems and Perspectives", Clinical Biochemistry, vol. 19, 1986, pp. 255-261. Turner, A.P.F., et al., "Diabetes Mellitus: Biosensors for Research

and Management", Biosensors, vol. 1, 1985, pp. 85-115.

Updike, S. J., et al., "Principles of Long-term Fully Implanted Sensors with Emphasis on Radiotelemetric Monitoring of Blood Glucose from inside a Subcutaneous Foreign Body Capsule (FBC)", Biosensors in the Body: Continuous In vivo Monitoring, Chapter 4, 1997, pp. 117-137.

Velho, G., et al., "Strategies for calibrating a subcutaneous glucose sensor", Biomedica Biochimica Acta, vol. 48, 1989, pp. 957-964. Wilson, G. S., et al., "Progress toward the Development of an Implantable Sensor for Glucose", Clinical Chemistry, vol. 38, No. 9, 1992, pp. 1613-1617.







FIG. 2







FIG. 4



FIG. 5



FIG. 6







FIG. 7B

50

METHODS AND SYSTEMS FOR EARLY SIGNAL ATTENUATION DETECTION AND PROCESSING

RELATED APPLICATIONS

The present application is a continuation of U.S. patent application Ser. No. 17/245,719, filed Apr. 30, 2021, which is a continuation of U.S. patent application Ser. No. 16/228, 910, filed Dec. 21, 2018, now U.S. Pat. No. 11,013,431, ¹⁰ which is a continuation of U.S. patent application Ser. No. 15/061,774, filed Mar. 4, 2016, now U.S. Pat. No. 10,194, 844, which is a continuation of U.S. patent application Ser. No. 13/925,694, filed Jun. 24, 2013, now U.S. Pat. No. 9,310,230, which is a continuation of U.S. patent application ¹⁵ Ser. No. 12/769,635, filed Apr. 28, 2010, now U.S. Pat. No. 8,483,967, which claims the benefit of U.S. Provisional Patent Application No. 61/173,600, filed Apr. 29, 2009, the disclosures of all of which are incorporated herein by reference in their entireties for all purposes. ²⁰

BACKGROUND

Analyte, e.g., glucose monitoring systems including continuous and discrete monitoring systems generally include a ²⁵ small, lightweight battery powered and microprocessor controlled system which is configured to detect signals proportional to the corresponding measured glucose levels using an electrometer. RF signals may be used to transmit the collected data. One aspect of certain analyte monitoring sys- ³⁰ tems includes a transcutaneous or subcutaneous analyte sensor configuration which is, for example, at least partially positioned through the skin layer of a subject whose analyte level is to be monitored. The sensor may use a two or three-electrode (work, reference and counter electrodes) ³⁵ configuration driven by a controlled potential (potentiostat) analog circuit connected through a contact system.

An analyte sensor may be configured so that a portion thereof is placed under the skin of the patient so as to contact analyte of the patient, and another portion or segment of the ⁴⁰ analyte sensor may be in communication with the transmitter unit. The transmitter unit may be configured to transmit the analyte levels detected by the sensor over a wireless communication link such as an RF (radio frequency) communication link to a receiver/monitor unit. The receiver/ ⁴⁵ monitor unit may perform data analysis, among other functions, on the received analyte levels to generate information pertaining to the monitored analyte levels.

SUMMARY

Devices and methods for analyte monitoring, e.g., glucose monitoring, and/or therapy management system including, for example, medication infusion devices are provided. Embodiments include transmitting information from a first 55 location to a second, e.g., using a telemetry system such as RF telemetry. Systems herein include continuous analyte monitoring systems, discrete analyte monitoring system, and therapy management systems.

Embodiments include receiving sensor data from an ana- 60 lyte sensor of a sensor monitoring system, processing the received sensor data with time corresponding calibration data, outputting the processed sensor data, detecting one or more adverse conditions associated with the sensor monitoring system, disabling the output of the sensor data during 65 a adverse condition time period, determining that the one or more detected adverse conditions is no longer present in the

sensor monitoring system, retrieving the sensor data during the adverse condition time period, processing the retrieved sensor data during the adverse condition time period, and outputting the processed retrieved sensor data.

Embodiments include detecting a condition unsuitable for calibration of an analyte sensor for a predetermined time period, disabling output of information associated with the analyte sensor, determining a successful calibration of the analyte sensor, retrieving one or more parameters associated with the successful calibration, processing sensor data during the time period of disabled output of information with the one or more parameters associated with the successful calibration, and displaying the processed sensor data for the time period of disabled information output.

Embodiments include an interface configured to receive sensor data, a first memory configured to store the received sensor data, a processor coupled to the memory and configured to process the stored sensor data, a second memory coupled to the processor and configured to store the processed sensor data, and a display unit coupled to the second memory and configured to display the processed sensor data. where the processor is further configured to detect a condition unsuitable for calibration of a sensor for a predetermined time period, disable display of processed sensor data, determine a successful calibration of the sensor, retrieve one or more parameters associated with the successful calibration, process the sensor data during the time period of disabled display of sensor data with the one or more parameters associated with the successful calibration, and display the processed sensor data for the time period of disabled information output.

These and other objects, features and advantages of the present disclosure will become more fully apparent from the following detailed description of the embodiments, the appended claims and the accompanying drawings.

INCORPORATION BY REFERENCE

The following patents, applications and/or publications are incorporated herein by reference for all purposes: U.S. Pat. Nos. 4,545,382; 4,711,245; 5,262,035; 5,262,305; 5,264,104; 5,320,715; 5,509,410; 5,543,326; 5,593,852; 5,601,435; 5,628,890; 5,820,551; 5,822,715; 5,899,855; 5,918,603; 6,071,391; 6,103,033; 6,120,676; 6,121,009; 6,134,461; 6,143,164; 6,144,837; 6,161,095; 6,175,752; 6,270,455; 6,284,478; 6,299,757; 6,338,790; 6,377,894; 6,461,496; 6,503,381; 6,514,460; 6,514,718; 6,540,891; 6,560,471; 6,579,690; 6,591,125; 6,592,745; 6,600,997; 6,605,200; 6,605,201; 6,616,819; 6,618,934; 6,650,471; 6,654,625; 6,676,816; 6,730,200; 6,736,957; 6,746,582; 6,749,740; 6,764,581; 6,773,671; 6,881,551; 6,893,545; 6,932,892; 6,932,894; 6,942,518; 7,167,818; and 7,299,082; U.S. Published Application Nos. 2004/0186365; 2005/ 0182306; 2007/0056858; 2007/0068807; 2007/0227911; 2007/0233013; 2008/0081977; 2008/0161666; and 2009/ 0054748; U.S. patent application Ser. Nos. 11/831,866; 11/831,881; 11/831,895; 12/102,839; 12/102,844; 12/102, 847; 12/102,855; 12/102,856; 12/152,636; 12/152,648; 12/152,650; 12/152,652; 12/152,657; 12/152,662; 12/152, 670; 12/152,673; 12/363,712; 12/131,012; 12/242,823; 12/363,712; 12/393,921; 12/495,709; 12/698,124; 12/699, 653; 12/699,844; 12/714,439; 12/761,372; and 12/761,387 and U.S. Provisional Application Nos. 61/230,686 and 61/227,967.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a data monitoring and management system for practicing one or more embodiments of the present disclosure;

60

FIG. 2 is a block diagram of the transmitter unit of the data monitoring and management system shown in FIG. 1 in accordance with one embodiment of the present disclosure;

FIG. 3 is a block diagram of the receiver/monitor unit of the data monitoring and management system shown in FIG. 1 in accordance with one embodiment of the present disclosure:

FIG. 4 illustrates analyte sensor data processing in accordance with one embodiment of the present disclosure;

FIG. 5 illustrates analyte sensor data processing in accordance with one embodiment of the present disclosure;

FIG. 6 illustrates backfilling gaps in sensor data in one embodiment of the present disclosure; and

FIGS. 7A and 7B illustrate backfill of gaps of a period of 15 uncalibrated sensor data in one embodiment.

DETAILED DESCRIPTION

Before the present disclosure is described in additional $_{20}$ detail, it is to be understood that this disclosure is not limited to particular embodiments described, as such may, of course, vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting, since the 25 scope of the present disclosure will be limited only by the appended claims.

Where a range of values is provided, it is understood that each intervening value, to the tenth of the unit of the lower limit unless the context clearly dictates otherwise, between 30 the upper and lower limit of that range and any other stated or intervening value in that stated range, is encompassed within the disclosure. The upper and lower limits of these smaller ranges may independently be included in the smaller ranges is also encompassed within the disclosure, subject to 35 any specifically excluded limit in the stated range. Where the stated range includes one or both of the limits, ranges excluding either or both of those included limits are also included in the disclosure.

Unless defined otherwise, all technical and scientific 40 terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this disclosure belongs. Although any methods and materials similar or equivalent to those described herein can also be used in the practice or testing of the present disclosure, the 45 preferred methods and materials are now described. All publications mentioned herein are incorporated herein by reference to disclose and describe the methods and/or materials in connection with which the publications are cited.

It must be noted that as used herein and in the appended 50 claims, the singular forms "a", "an", and "the" include plural referents unless the context clearly dictates otherwise.

The publications discussed herein are provided solely for their disclosure prior to the filing date of the present application. Nothing herein is to be construed as an admission 55 that the present disclosure is not entitled to antedate such publication by virtue of prior disclosure. Further, the dates of publication provided may be different from the actual publication dates which may need to be independently confirmed.

As will be apparent to those of skill in the art upon reading this disclosure, each of the individual embodiments described and illustrated herein has discrete components and features which may be readily separated from or combined with the features of any of the other several embodiments 65 without departing from the scope or spirit of the present disclosure.

4

The figures shown herein are not necessarily drawn to scale, with some components and features being exaggerated for clarity.

As described in further detail below, in accordance with the various embodiments of the present disclosure, there is provided a method and system for positioning a controller unit within a transmission range for close proximity communication, transmitting one or more predefined close proximity commands, and receiving a response packet in response to the transmitted one or more predefined close proximity commands. For example, in one aspect, close proximity communication includes short range wireless communication between communication components or devices, where the communication range is limited to about 10 inches or less, about 5 inches or less, or about 2 inches or less, or other suitable, short range or distance between the devices. The close proximity wireless communication in certain embodiments includes a bi-directional communication where a command sending communication device, when positioned within the short communication range or in close proximity to the command receiving communication device, is configured to transmit one or more commands to the command receiving communication device (for example, when a user activates or actuates a transmit command button or switch). In response, the command receiving communication device may be configured to perform one or more routines associated with the received command, and/or return or send back a response data packet or signal to the command sending communication device. Example of such functions and or commands may include, but not limited to activation of certain functions or routines such as analyte related data processing, and the like.

FIG. 1 illustrates a data monitoring and management system such as, for example, analyte (e.g., glucose) monitoring system 100 in accordance with one embodiment of the present disclosure. The subject invention is further described primarily with respect to a glucose monitoring system for convenience and such description is in no way intended to limit the scope of the invention. It is to be understood that the analyte monitoring system may be configured to monitor a variety of analytes, e.g., lactate, and the like.

Analytes that may be monitored include, for example, acetyl choline, amylase, bilirubin, cholesterol, chorionic gonadotropin, creatine kinase (e.g., CK-MB), creatine, DNA, fructosamine, glucose, glutamine, growth hormones, hormones, ketones, lactate, peroxide, prostate-specific antigen, prothrombin, RNA, thyroid stimulating hormone, and troponin. The concentration of drugs, such as, for example, antibiotics (e.g., gentamicin, vancomycin, and the like), digitoxin, digoxin, drugs of abuse, theophylline, and warfarin, may also be monitored. More than one analyte may be monitored by a single system, e.g., a single analyte sensor.

The analyte monitoring system 100 includes a sensor unit 101, a data processing and transmitter unit 102 coupleable to the sensor unit 101, and a primary receiver unit 104 which is configured to communicate with the data processing and transmitter unit 102 via a bi-directional communication link 103. The primary receiver unit 104 may be further configured to transmit data to a data processing terminal 105 for evaluating the data received by the primary receiver unit 104. Moreover, the data processing terminal 105 in one embodiment may be configured to receive data directly from the data processing and transmitter unit 102 via a communication link which may optionally be configured for bidirectional communication. Accordingly, data processing and transmitter unit 102 and/or receiver unit 104 may include a transceiver.

Also shown in FIG. 1 is an optional secondary receiver unit **106** which is operatively coupled to the communication link and configured to receive data transmitted from the data processing and transmitter unit 102. Moreover, as shown in the Figure, the secondary receiver unit 106 is configured to communicate with the primary receiver unit 104 as well as the data processing terminal 105. Indeed, the secondary receiver unit 106 may be configured for bi-directional wireless communication with each or one of the primary receiver unit 104 and the data processing terminal 105. As discussed in further detail below, in one embodiment of the present disclosure, the secondary receiver unit 106 may be configured to include a limited number of functions and features as compared with the primary receiver unit 104. As such, the secondary receiver unit 106 may be configured substantially in a smaller compact housing or embodied in a device such 20 as a wrist watch, pager, mobile phone, PDA, for example. Alternatively, the secondary receiver unit 106 may be configured with the same or substantially similar functionality as the primary receiver unit 104. The receiver unit may be configured to be used in conjunction with a docking cradle 25 unit, for example for one or more of the following or other functions: placement by bedside, for re-charging, for data management, for night time monitoring, and/or bi-directional communication device.

In one aspect sensor unit 101 may include two or more 30 sensors, each configured to communicate with data processing and transmitter unit 102. Furthermore, while only one, data processing and transmitter unit 102, communication link 103, and data processing terminal 105 are shown in the embodiment of the analyte monitoring system 100 illus- 35 trated in FIG. 1. However, it will be appreciated by one of ordinary skill in the art that the analyte monitoring system 100 may include one or more sensors, multiple transmitter units 102, communication links 103, and data processing terminals 105. Moreover, within the scope of the present 40 disclosure, the analyte monitoring system 100 may be a continuous monitoring system, or semi-continuous, or a discrete monitoring system. In a multi-component environment, each device is configured to be uniquely identified by each of the other devices in the system so that communica- 45 tion conflict is readily resolved between the various components within the analyte monitoring system 100.

In one embodiment of the present disclosure, the sensor unit 101 is physically positioned in or on the body of a user whose analyte level is being monitored. The sensor unit 101 50 may be configured to continuously sample the analyte level of the user and convert the sampled analyte level into a corresponding data signal for transmission by the data processing and transmitter unit 102. In certain embodiments, the data processing and transmitter unit 102 may be physi- 55 cally coupled to the sensor unit 101 so that both devices are integrated in a single housing and positioned on the user's body. The data processing and transmitter unit 102 may perform data processing such as filtering and encoding on data signals and/or other functions, each of which corre- 60 sponds to a sampled analyte level of the user, and in any event data processing and transmitter unit 102 transmits analyte information to the primary receiver unit 104 via the communication link 103. Examples of such integrated sensor and transmitter units can be found in, among others, U.S. 65 patent application Ser. No. 12/698,124, incorporated herein by reference.

6

In one embodiment, the analyte monitoring system 100 is configured as a one-way RF communication path from the data processing and transmitter unit 102 to the primary receiver unit **104**. In such embodiment, the data processing and transmitter unit 102 transmits the sampled data signals received from the sensor unit 101 without acknowledgement from the primary receiver unit 104 that the transmitted sampled data signals have been received. For example, the data processing and transmitter unit 102 may be configured to transmit the encoded sampled data signals at a fixed rate (e.g., at one minute intervals) after the completion of the initial power on procedure. Likewise, the primary receiver unit 104 may be configured to detect such transmitted encoded sampled data signals at predetermined time intervals. Alternatively, the analyte monitoring system 100 may be configured with a bi-directional RF (or otherwise) communication between the data processing and transmitter unit 102 and the primary receiver unit 104.

Additionally, in one aspect, the primary receiver unit 104 may include two sections. The first section is an analog interface section that is configured to communicate with the data processing and transmitter unit 102 via the communication link 103. In one embodiment, the analog interface section may include an RF receiver and an antenna for receiving and amplifying the data signals from the data processing and transmitter unit 102, which are thereafter, demodulated with a local oscillator and filtered through a band-pass filter. The second section of the primary receiver unit 104 is a data processing section which is configured to process the data signals received from the data processing and transmitter unit 102 such as by performing data decoding, error detection and correction, data clock generation, and data bit recovery.

In operation, upon completing the power-on procedure, the primary receiver unit 104 is configured to detect the presence of the data processing and transmitter unit 102 within its range based on, for example, the strength of the detected data signals received from the data processing and transmitter unit 102 and/or a predetermined transmitter identification information. Upon successful synchronization with the corresponding data processing and transmitter unit 102, the primary receiver unit 104 is configured to begin receiving from the data processing and transmitter unit 102 data signals corresponding to the user's detected analyte level. More specifically, the primary receiver unit 104 in one embodiment is configured to perform synchronized time hopping with the corresponding synchronized data processing and transmitter unit 102 via the communication link 103 to obtain the user's detected analyte level.

Referring again to FIG. 1, the data processing terminal **105** may include a personal computer, a portable computer such as a laptop or a handheld device (e.g., personal digital assistants (PDAs)), and the like, each of which may be configured for data communication with the receiver via a wired or a wireless connection. Additionally, the data processing terminal **105** may further be connected to a data network (not shown) for storing, retrieving and updating data corresponding to the detected analyte level of the user.

Within the scope of the present disclosure, the data processing terminal **105** may include an infusion device such as an insulin infusion pump (external or implantable) or the like, which may be configured to administer insulin to patients, and which may be configured to communicate with the receiver unit **104** for receiving, among others, the measured analyte level. Alternatively, the receiver unit **104** may be configured to integrate or otherwise couple to an infusion device therein so that the receiver unit **104** is

configured to administer insulin therapy to patients, for example, for administering and modifying basal profiles, as well as for determining appropriate boluses for administration based on, among others, the detected analyte levels received from the data processing and transmitter unit **102**. 5

Additionally, the data processing and transmitter unit **102**, the primary receiver unit **104** and the data processing terminal **105** may each be configured for bi-directional wireless communication such that each of the data processing and transmitter unit **102**, the primary receiver unit **104** 10 and the data processing terminal **105** may be configured to communicate (that is, transmit data to and receive data from) with each other via the wireless communication link **103**. More specifically, the data processing terminal **105** may in one embodiment be configured to receive data directly from 15 the data processing and transmitter unit **102** via the communication link **103**, where the communication link **103**, as described above, may be configured for bi-directional communication.

In this embodiment, the data processing terminal **105** 20 which may include an insulin pump, may be configured to receive the analyte signals from the data processing and transmitter unit **102**, and thus, incorporate the functions of the receiver **104** including data processing for managing the patient's insulin therapy and analyte monitoring. In one 25 embodiment, the communication link **103** may include one or more of an RF communication protocol, an infrared communication protocol, a Bluetooth® enabled communication protocol, or an equivalent wireless communication protocol 30 which would allow secure, wireless communication of several units (for example, per HIPPA requirements) while avoiding potential data collision and interference.

FIG. 2 is a block diagram of the transmitter of the data monitoring and detection system shown in FIG. 1 in accor- 35 dance with one embodiment of the present disclosure. Referring to the Figure, the data processing and transmitter unit 102 in one embodiment includes an analog interface 201 configured to communicate with the sensor unit 101 (FIG. 1), a user input 202, and a temperature measurement section 40 203, each of which is operatively coupled to a transmitter processor 204 such as a central processing unit (CPU). As can be seen from FIG. 2, there are provided four contacts, three of which are electrodes-work electrode (W) 210, guard contact (G) 211, reference electrode (R) 212, and 45 counter electrode (C) 213, each operatively coupled to the analog interface 201 of the data processing and transmitter unit 102 for connection to the sensor unit 101 (FIG. 1). In one embodiment, each of the work electrode (W) 210, guard contact (G) 211, reference electrode (R) 212, and counter 50 electrode (C) 213 may be made using a conductive material that is either printed or etched or ablated, for example, such as carbon which may be printed, or a metal such as a metal foil (e.g., gold) or the like, which may be etched or ablated or otherwise processed to provide one or more electrodes. 55 Fewer or greater electrodes and/or contact may be provided in certain embodiments.

Further shown in FIG. 2 are a transmitter serial communication section 205 and an RF transmitter 206, each of which is also operatively coupled to the transmitter processor 204. Moreover, a power supply 207 such as a battery is also provided in the data processing and transmitter unit 102 to provide the necessary power for the data processing and transmitter unit 102. In certain embodiments, the power supply 207 also provides the power necessary to power the 65 sensor 101. In other embodiments, the sensor is a selfpowered sensor, such as the sensor described in U.S. patent

application Ser. No. 12/393,921, incorporated herein by reference. Additionally, as can be seen from the Figure, clock **208** is provided to, among others, supply real time information to the transmitter processor **204**.

In one embodiment, a unidirectional input path is established from the sensor unit 101 (FIG. 1) and/or manufacturing and testing equipment to the analog interface 201 of the data processing and transmitter unit 102, while a unidirectional output is established from the output of the RF transmitter 206 of the data processing and transmitter unit 102 for transmission to the primary receiver unit 104. In this manner, a data path is shown in FIG. 2 between the aforementioned unidirectional input and output via a dedicated link 209 from the analog interface 201 to serial communication section 205, thereafter to the processor 204, and then to the RF transmitter 206. As such, in one embodiment, via the data path described above, the data processing and transmitter unit 102 is configured to transmit to the primary receiver unit 104 (FIG. 1), via the communication link 103 (FIG. 1), processed and encoded data signals received from the sensor unit 101 (FIG. 1). Additionally, the unidirectional communication data path between the analog interface 201 and the RF transmitter 206 discussed above allows for the configuration of the data processing and transmitter unit 102 for operation upon completion of the manufacturing process as well as for direct communication for diagnostic and testing purposes.

As discussed above, the transmitter processor **204** is configured to transmit control signals to the various sections of the data processing and transmitter unit **102** during the operation of the data processing and transmitter unit **102**. In one embodiment, the transmitter processor **204** also includes a memory (not shown) for storing data such as the identification information for the data processing and transmitter unit **102**, as well as the data signals received from the sensor unit **101**. The stored information may be retrieved and processed for transmission to the primary receiver unit **104** under the control of the transmitter processor **204**. Furthermore, the power supply **207** may include a commercially available battery, which may be a rechargeable battery.

In certain embodiments, the data processing and transmitter unit 102 is also configured such that the power supply section 207 is capable of providing power to the transmitter for a minimum of about three months of continuous operation, e.g., after having been stored for about eighteen months such as stored in a low-power (non-operating) mode. In one embodiment, this may be achieved by the transmitter processor 204 operating in low power modes in the nonoperating state, for example, drawing no more than approximately 1 µA of current. Indeed, in one embodiment, a step during the manufacturing process of the data processing and transmitter unit 102 may place the data processing and transmitter unit 102 in the lower power, non-operating state (i.e., post-manufacture sleep mode). In this manner, the shelf life of the data processing and transmitter unit 102 may be significantly improved. Moreover, as shown in FIG. 2, while the power supply unit 207 is shown as coupled to the processor 204, and as such, the processor 204 is configured to provide control of the power supply unit 207, it should be noted that within the scope of the present disclosure, the power supply unit 207 is configured to provide the necessary power to each of the components of the data processing and transmitter unit 102 shown in FIG. 2.

Referring back to FIG. 2, the power supply section 207 of the data processing and transmitter unit 102 in one embodiment may include a rechargeable battery unit that may be recharged by a separate power supply recharging unit (for example, provided in the receiver unit **104**) so that the data processing and transmitter unit **102** may be powered for a longer period of usage time. Moreover, in one embodiment, the data processing and transmitter unit **102** may be configured without a battery in the power supply section **207**, in 5 which case the data processing and transmitter unit **102** may be configured to receive power from an external power supply source (for example, a battery) as discussed in further detail below.

Referring yet again to FIG. 2, the temperature measure- 10 ment section 203 of the data processing and transmitter unit 102 is configured to monitor the temperature of the skin near the sensor insertion site. The temperature reading is used to adjust the analyte readings obtained from the analog interface 201. In certain embodiments, the RF transmitter 206 of 15 the transmitter unit 102 may be configured for operation in the frequency band of approximately 315 MHz to approximately 322 MHz, for example, in the United States. In certain embodiments, the RF transmitter 206 of the transmitter unit 102 may be configured for operation in the 20 frequency band of approximately 400 MHz to approximately 470 MHz. Further, in one embodiment, the RF transmitter 206 is configured to modulate the carrier frequency by performing Frequency Shift Keying and Manchester encoding. In one embodiment, the data transmission 25 rate is about 19,200 symbols per second, with a minimum transmission range for communication with the primary receiver unit 104.

Referring yet again to FIG. 2, also shown is a leak detection circuit 214 coupled to the guard electrode (G) 211 30 and the processor 204 in the transmitter unit 102 of the data monitoring and management system 100. The leak detection circuit 214 in accordance with one embodiment of the present disclosure may be configured to detect leakage current in the sensor unit 101 to determine whether the 35 measured sensor data are corrupt or whether the measured data from the sensor 101 is accurate. Exemplary analyte systems that may be employed are described in, for example, U.S. Pat. Nos. 6,134,461, 6,175,752, 6,121,611, 6,560,471, 6,746,582, and elsewhere, the disclosure of each of which 40 are incorporated by reference for all purposes.

FIG. 3 is a block diagram of the receiver/monitor unit of the data monitoring and management system shown in FIG. 1 in accordance with one embodiment of the present disclosure. Referring to FIG. 3, the primary receiver unit 104 45 includes an analyte test strip, e.g., blood glucose test strip, interface 301, an RF receiver 302, an input 303, a temperature monitor section 304, and a clock 305, each of which is operatively coupled to a receiver processor 307. As can be further seen from the Figure, the primary receiver unit 104 50 also includes a power supply 306 operatively coupled to a power conversion and monitoring section 308. Further, the power conversion and monitoring section 308 is also coupled to the receiver processor 307. Moreover, also shown are a receiver serial communication section 309, and an 55 output 310, each operatively coupled to the receiver processor 307.

In one embodiment, the test strip interface **301** includes a glucose level testing portion to receive a manual insertion of a glucose test strip, and thereby determine and display the 60 glucose level of the test strip on the output **310** of the primary receiver unit **104**. This manual testing of glucose may be used to calibrate the sensor unit **101** or otherwise. The RF receiver **302** is configured to communicate, via the communication link **103** (FIG. 1) with the RF transmitter 65 **206** of the transmitter unit **102**, to receive encoded data signals from the transmitter unit **102** for, among others,

signal mixing, demodulation, and other data processing. The input 303 of the primary receiver unit 104 is configured to allow the user to enter information into the primary receiver unit 104 as needed. In one aspect, the input 303 may include one or more keys of a keypad, a touch-sensitive screen, or a voice-activated input command unit. The temperature monitor section 304 is configured to provide temperature information of the primary receiver unit 104 to the receiver processor 307, while the clock 305 provides, among others, real time information to the receiver processor 307.

Each of the various components of the primary receiver unit 104 shown in FIG. 3 is powered by the power supply 306 which, in one embodiment, includes a battery. Furthermore, the power conversion and monitoring section 308 is configured to monitor the power usage by the various components in the primary receiver unit 104 for effective power management and to alert the user, for example, in the event of power usage which renders the primary receiver unit 104 in sub-optimal operating conditions. An example of such sub-optimal operating condition may include, for example, operating the vibration output mode (as discussed below) for a period of time thus substantially draining the power supply 306 while the processor 307 (thus, the primary receiver unit 104) is turned on. Moreover, the power conversion and monitoring section 308 may additionally be configured to include a reverse polarity protection circuit such as a field effect transistor (FET) configured as a battery activated switch.

The serial communication section 309 in the primary receiver unit 104 is configured to provide a bi-directional communication path from the testing and/or manufacturing equipment for, among others, initialization, testing, and configuration of the primary receiver unit 104. Serial communication section 104 can also be used to upload data to a computer, such as time-stamped blood glucose data. The communication link with an external device (not shown) can be made, for example, by cable, infrared (IR) or RF link. The output 310 of the primary receiver unit 104 is configured to provide, among others, a graphical user interface (GUI) such as a liquid crystal display (LCD) for displaying information. Additionally, the output 310 may also include an integrated speaker for outputting audible signals as well as to provide vibration output as commonly found in handheld electronic devices, such as mobile telephones presently available. In a further embodiment, the primary receiver unit 104 also includes an electro-luminescent lamp configured to provide backlighting to the output **310** for output visual display in dark ambient surroundings.

Referring back to FIG. 3, the primary receiver unit 104 in one embodiment may also include a storage section such as a programmable, non-volatile memory device as part of the processor 307, or provided separately in the primary receiver unit 104, operatively coupled to the processor 307. The processor 307 may be configured to synchronize with a transmitter, e.g., using Manchester decoding or the like, as well as error detection and correction upon the encoded data signals received from the transmitter unit 102 via the communication link 103.

Periodic calibration of the sensor unit **101** (FIG. **1**) of an analyte monitoring system **100**, in some embodiments, may be required for accurate calculation of a user's analyte level. Calibration, in some aspects, is used to ensure the analyte related data signals received at a transmitter unit **102** (and further transmitted to a receiver unit, such as the primary receiver unit **104**) are correctly converted to corresponding analyte levels. Exemplary calibration protocols, routines and techniques are described, for example, in U.S. Pat. No.

7,299,082, U.S. patent application Ser. No. 11/537,991 filed Oct. 2, 2006, U.S. patent application Ser. No. 12/363,706 filed Jan. 30, 2009, and in U.S. patent application Ser. No. 12/363,712 filed Jan. 30, 2009, the disclosures of each of which are herein incorporated by reference for all purposes. 5

There are time periods where the sensor characteristics or the user's physiological condition renders the condition unsuitable for a sensor calibration event. For example, the sensor may be configured for periodic calibration, such as, after 2 hours after insertion, 10 hours after insertion, 12 10 hours after insertion, 24 hours after insertion, 48 hours after insertion, or 72 hours after insertion, or one or more combinations thereof. If a predetermined calibration event is triggered but a successful calibration does not result, after a certain time period (for example, a predetermined grace 15 period during which to calibrate), the receiver unit may no longer display the monitored and processed glucose information.

Other conditions may also result in rendering the condition unsuitable for sensor calibration including, but not 20 limited to, detection of a failure mode of a sensor, sensor data values being outside a predetermined range, rate of change of sensor data values being above a predetermined threshold, a temperature measurement outside a predetermined range, or any combination thereof.

FIG. 4 illustrates analyte sensor data processing in accordance with one embodiment of the present disclosure. Referring to FIG. 4, a transmitter unit 102 (FIG. 1) in operational contact with a sensor 101 receives analyte related sensor data (410) corresponding to a measured level of a biological 30 fluid of the user. For example, the sensor **101** (FIG. **1**) may be an analyte sensor configured to detect and measure the concentration of an analyte in a biological fluid, such as the blood of a user. Upon receipt of the analyte related sensor data, the transmitter unit 102 further transmits the analyte 35 related sensor data to a receiver unit, such as primary receiver unit 104 (FIG. 1). It is to be noted that the reference to analyte related sensor data herein and throughout specification includes, for example, current signal received from the analyte sensor, as well as the current signal which has 40 undergone predetermined data processing routines including, for example, filtering, clipping, digitizing, and/or encoding, and/or any other further processing and/or conditioning. In one aspect, the primary receiver unit 104 determines whether the sensor is calibrated and is in accept- 45 able condition for further data processing (420). When sensor related conditions are unsuitable for calibration, the analyte related sensor data is stored (450) in a memory, for example, in the primary receiver unit 104.

Referring still to FIG. 4, if the sensor data is calibrated 50 and in condition for further data processing, the sensor data is further processed (430) and output for display (440) to a user on a display unit 310 (FIG. 3) of the primary receiver unit 104. In one embodiment, the display of the processed sensor data comprises a graphical representation of the 55 processed sensor data. In other embodiments, the processed sensor data may be displayed as numerical values, visual indicators, auditory outputs, or combinations thereof. In one aspect, the processing routine described in conjunction with FIG. 4 is performed or executed in, for example, the 60 transmitter unit 102, the secondary receiver unit 106 (FIG. 1), or the data processing terminal 105 (FIG. 1) of the analyte monitoring system 100 (FIG. 1) based on analyte data received from the sensor 101.

FIG. 5 illustrates analyte sensor data processing in accor- 65 dance with one embodiment of the present disclosure. Referring to FIG. 5, in one embodiment, transmitter unit 102

(FIG. 1) receives analyte related sensor data (510) from a sensor 101 (FIG. 1). Upon receipt of the analyte related sensor data, the transmitter unit 102 transmits the analyte related sensor data (or processed, digitized, and/or filtered signals) to the primary receiver unit 104 (FIG. 1). The primary receiver unit 104 is configured to determine if calibration of the sensor data is suitable-that is, whether the conditions necessary for sensor calibration are met (520).

Still referring to FIG. 5, if it is determined that the sensor **101** is not calibrated or calibration condition for calibrating the sensor 101 is not met, in one aspect, the primary receiver unit stores the analyte related sensor data in a memory (550) and temporarily disables display of the sensor data (560) to the user (for example, if a calibration event has not occurred and the calibration grace period has expired). On the other hand, if the sensor 101 is calibrated, the sensor data is processed (530) by the primary receiver unit 104 and the processed sensor data is output to the user (540), for example via a display unit 310 (FIG. 3) of the primary receiver unit 104. In one aspect, the processing routine described in conjunction with FIG. 5 is performed or executed in, for example, the transmitter unit 102, the secondary receiver unit 106, or the data processing terminal 105 of the analyte monitoring system 100 based on analyte data received from the sensor 101 (FIG. 1).

In one aspect, the display or output of processed sensor data may be disabled if a required calibration event is unsuccessful over a permitted time period (for example, including a predetermined grace period measured from the scheduled calibration). Thereafter, upon successful calibration, the system resumes display of the processed and calibrated analyte sensor data. However, there may be a time period or a gap in the output display during which the necessary calibration did not occur in a timely manner. For example, as shown in FIG. 7A, if sensor data is displayed as a graphical display, during time periods where the analyte monitoring system 100 was not properly calibrated, analyte related sensor data was not processed and/or displayed, resulting in a gap in the graphical display.

FIG. 6 illustrates backfilling gaps in sensor data in one embodiment of the present disclosure. Referring to FIG. 6, when a scheduled calibration event fails and the associated grace period for calibration does not occur, the output display of the processed, calibrated sensor data is disabled (610). Referring to FIG. 6, once the system recovers after a successful calibration event, the calibrated sensor data is once again displayed (and stored). Furthermore, in one aspect, based on the parameters associated with the successful calibration, the previously unprocessed data during the display time out period may be retrieved (for example, the previously stored analyte related sensor signals during this period) and processed using calibration data, such as a sensitivity ratio for conversion of analyte related sensor data to analyte levels. For example, in one aspect, the subset of analyte related sensor data that were previously unprocessed or uncalibrated due to unsuccessful contemporaneous calibration may be processed using, for example, calibration data such as the sensitivity ratio determined from the most recent successful calibration event, and thereafter, the gap in output display illustrating the processed and calibrated signals may be filled.

In one aspect, once successful calibration of the sensor data occurs, the calibration parameters from this calibration event may be used to process the sensor data during the period of disabled output or display (620). Upon successful processing of the sensor data during the period of disabled output, the processed sensor data during this time period is

backfilled, or the gap in the processed continuous sensor data are filled in the display (**630**). By way of an example, FIGS. 7A and 7B illustrate the replacement of a period of unprocessed sensor data with corresponding backfilled processed sensor data, in one embodiment.

In one embodiment, the backfilled processed sensor data is displayed immediately upon calculation. In another embodiment, the backfilled processed sensor data is not displayed immediately, but rather, after waiting a predetermined period of time. The backfilled processed sensor data¹⁰ may not be displayed immediately to avoid possible unnecessary or incorrect action by a user in response to the backfilled processed sensor data. In this manner, in one aspect, the user or a healthcare provider may be provided¹⁵ with a continuous set of analyte data from the analyte monitoring system without any gaps in the processed signals for further analysis and/or therapy management.

In this manner, in accordance with the embodiments of the present disclosure, gaps in monitored analyte levels using an 20 analyte monitoring system due to, for example, inability to promptly calibrate the sensor, system malfunction, sensor dislodging, signal errors associated with the sensor, transmitter unit, receiver unit, and the like, or any other variables or parameters that result in the inability of the analyte 25 time. monitoring system to display or output the real-time monitored analyte level, may be retrospectively filled or reprocessed so that the data gap is closed and the continuously monitored analyte level does not have any or substantially missing data. That is, in embodiments of the present disclo- 30 sure, upon correction or rectification of the condition or conditions/parameters which resulted in the analyte monitoring system disabling the output results associated with the monitored real time analyte levels, the parameters associated with the correction or rectification may be used to retro- 35 spectively correct or process data or signals so that the missing gaps in analyte related data may be processed and backfilled.

In this manner, advantageously, in aspects of the present disclosure, additional robustness may be provided to the 40 interface configured to receive sensor data, a first memory configured to store the received sensor data, a processor health management decisions.

In one embodiment, a method may include receiving sensor data from an analyte sensor of a sensor monitoring system, processing the received sensor data with time corresponding calibration data, outputting the processed sensor data, detecting one or more adverse conditions associated with the sensor monitoring system, disabling the output of the sensor data during an adverse condition time period, determining that the one or more detected adverse conditions is no longer present in the sensor monitoring system, retrieving the sensor data during the adverse condition time period, processing the retrieved sensor data during the adverse condition time period, and outputting the processed retrieved sensor data.

In one aspect, outputting the processed sensor data may include displaying the sensor data in one or more of a graphical, numerical, pictorial, audible, vibratory, or one or more combinations thereof.

The one or more detected adverse conditions may include 60 one or more of a sensor instability condition, a calibration failure condition, or a monitoring system failure condition.

The sensor instability condition may include one or more of an early signal attenuation condition of the sensor, sensor misposition error, sensor communication error, temperature 65 measurement outside a predetermined range, or a combination thereof. 14

The calibration failure condition may include one or more of an analyte level exceeding a predetermined threshold, a rate of change of analyte level exceeding a predetermined threshold, a signal error associated with the reference data, a data unavailability condition, or a combination thereof.

Furthermore, the method may include storing the processed sensor data with the associated time information based on the analyte level detection time by the sensor.

In another embodiment, a method may include detecting a condition unsuitable for calibration of an analyte sensor for a predetermined time period, disabling output of information associated with the analyte sensor, determining a successful calibration of the analyte sensor, retrieving one or more parameters associated with the successful calibration, processing sensor data during the time period of disabled output of information with the one or more parameters associated with the successful calibration, and displaying the processed sensor data for the time period of disabled information output.

The sensor data may be analyte concentration data.

The analyte concentration data may include blood glucose concentration data.

The sensor data may be processed in substantially realtime.

The condition unsuitable for calibration may include one or more of a failure mode of a sensor, sensor data outside a predetermined acceptable range, a rate of change of sensor data above a predetermined level, a requirement for calibration of a sensor, a temperature measurement outside a predetermined range, or any combination thereof.

The processed sensor data for the time period of disabled information output may be displayed substantially immediately upon processing.

The processed sensor data for the time period of disabled information output may be displayed only after waiting a predetermined period of time.

In another embodiment, an apparatus may include an configured to store the received sensor data, a processor coupled to the memory and configured to process the stored sensor data, a second memory coupled to the processor and configured to store the processed sensor data, and a display unit coupled to the second memory and configured to display the processed sensor data, wherein the processor is further configured to detect a condition unsuitable for calibration of a sensor for a predetermined time period, disable display of processed sensor data, determine a successful calibration of the sensor, retrieve one or more parameters associated with the successful calibration, process the sensor data during the time period of disabled display of sensor data with the one or more parameters associated with the successful calibration, and display the processed sensor data for the time period of disabled information output.

The sensor may be an analyte sensor.

The analyte sensor may be a glucose sensor.

The sensor data may correspond to analyte concentration data.

The analyte concentration data may include blood glucose concentration data.

Furthermore, the apparatus may be configured to process and display the sensor data substantially in real-time.

In one aspect, the condition unsuitable for calibration may include one or more of a failure mode of a sensor, sensor data outside a predetermined acceptable range, a rate of change of sensor data above a predetermined level, a requirement for calibration of a sensor, a temperature measurement outside a predetermined range, or any combination thereof.

The display unit may be configured to display the processed sensor data for the time period of disabled information output substantially immediately upon processing the sensor data.

The display unit may be configured to display the processed sensor data for the time period of disabled information output only after waiting a predetermined period of 10 time.

Various other modifications and alterations in the structure and method of operation of this invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention. Although the invention 15 has been described in connection with specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. It is intended that the following claims define the scope of the present disclosure and that structures and 20 methods within the scope of these claims and their equivalents be covered thereby.

What is claimed is:

1. A glucose monitoring system for backfilling data gaps that occur while a user monitors glucose levels, the glucose 25 monitoring system comprising:

- a glucose sensor, a portion of which is configured to be positioned under skin of the user, wherein the glucose sensor is configured to sample a biological fluid of the user to provide sensor data;
- a data processing and transmitter unit coupled to the glucose sensor, the data processing and transmitter unit comprising a power supply, a processor of the data processing and transmitter unit, memory of the data processing and transmitter unit, and a radio frequency 35 transceiver of the data processing and transmitter unit, wherein the data processing and transmitter unit is configured to:
 - receive the sensor data from the glucose sensor and store the sensor data in the memory of the data 40 processing and transmitter unit;
 - process the sensor data using calibration data to provide processed sensor data, wherein the calibration data comprises data associated with a sensitivity of the glucose sensor, and wherein the processed sensor 45 data is stored in the memory of the data processing and transmitter unit; and
 - transmit the processed sensor data over a Bluetooth wireless communication link using the radio frequency transceiver of the data processing and trans- 50 mitter unit; and
- a receiver unit comprising a processor of the receiver unit, memory of the receiver unit, a radio frequency transceiver of the receiver unit, an antenna, and a display, wherein the receiver unit is configured to:
 - receive, using the antenna and the radio frequency transceiver of the receiver unit, the processed sensor data over the Bluetooth wireless communication link,

55

- output to the display of the receiver unit, a numerical 60 value representing the processed sensor data,
- output to the display of the receiver unit, a first line graph that is a substantially continuous depiction of the processed sensor data over time,
- wherein the glucose monitoring system is configured to 65 detect an adverse condition, wherein the adverse condition results in the receiver unit displaying a data gap

such that the first line graph displayed on the receiver unit has an end corresponding to a time associated with a start of the adverse condition;

- wherein, during a time period corresponding to the adverse condition, sensor data, processed sensor data, or both, are stored in the memory of the data processing and transmitter unit;
- wherein the receiver unit is configured to output to the display, after the adverse condition is corrected, processed sensor data for the time period corresponding to the adverse condition such that the data gap is backfilled, and
- wherein the processed sensor data for the time period corresponding to the adverse condition that is outputted to the display after the adverse condition is corrected comprises a second line graph having a first end corresponding to the time associated with the start of the adverse condition and a second end corresponding to a time associated with an end of the adverse condition.

2. The glucose monitoring system of claim 1, wherein the first line graph and the second line graph are outputted to a same graph comprising a first axis having a time unit of measurement and a second axis having a glucose concentration unit of measurement.

3. The glucose monitoring system of claim 1, wherein the adverse condition comprises a sensor communication error.

4. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a signal error associated with the glucose sensor.

5. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a signal error associated with the data processing and transmitter unit.

6. The glucose monitoring system of claim 1, wherein the adverse condition comprises a signal error associated with the receiver unit.

7. The glucose monitoring system of claim 1, wherein the adverse condition comprises a system malfunction associated with the data processing and transmitter unit or a system malfunction associated with the receiver unit.

8. The glucose monitoring system of claim **1**, wherein the adverse condition comprises an inability of the receiver unit to display or output at least a portion of the the first line graph.

9. The glucose monitoring system of claim 1, wherein the adverse condition comprises a sensor instability condition.

10. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a calibration failure condition.

11. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a monitoring system failure condition.

12. The glucose monitoring system of claim **1**, wherein the glucose sensor comprises a working electrode and a counter electrode.

13. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a sensor misposition error.

14. The glucose monitoring system of claim 1, wherein the on body unit further comprises a temperature sensor, and wherein the adverse condition comprises a temperature measurement outside a predetermined range.

15. The glucose monitoring system of claim **1**, wherein the adverse condition comprises an analyte level exceeding a predetermined threshold.

16. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a rate of change of an analyte level exceeding a predetermined threshold.

17. The glucose monitoring system of claim **1**, wherein the adverse condition comprises a data unavailability condition.

18. The glucose monitoring system of claim **1**, wherein the receiver unit is further configured to display the second ⁵ line graph immediately after the correction of the adverse condition.

19. The glucose monitoring system of claim **1**, wherein the receiver unit is further configured to wait a predetermined period of time after the correction of the adverse $_{10}$ condition before displaying the second line graph.

20. The glucose monitoring system of claim **1**, wherein the data processing and transmitter unit, the receiver unit, or both is further configured to store time information associated with the adverse condition.

21. The glucose monitoring system of claim **1**, wherein the data processing and transmitter unit and at least a portion of the glucose sensor are disposed within a single integrated housing.

22. The glucose monitoring system of claim 1, wherein ₂₀ the receiver unit comprises a mobile phone.

23. The glucose monitoring system of claim **1**, wherein the time period associated with the adverse condition comprises at least one hour.

24. The glucose monitoring system of claim **1**, wherein $_{25}$ the glucose monitoring system is further configured for periodic calibration, and wherein the calibration data is based at least in part on glucose reference data received after the portion of the glucose sensor has been positioned under the skin of the user.

25. The glucose monitoring system of claim **24**, wherein the adverse condition comprises a signal error associated with the blood glucose reference data.

26. The glucose monitoring system of claim **24**, wherein the glucose monitoring system is further configured for calibration twelve hours after the portion of the glucose sensor has been positioned under the skin of the user.

27. The glucose monitoring system of claim **1**, wherein the data processing and transmitter unit is configured to transition from a low-power mode to an operating mode, and wherein the data processing and transmitter unit consumes more power from the power supply in the operating mode than in the low-power mode.

28. The glucose monitoring system of claim **1**, wherein the power supply of the data processing and transmitter unit is configured to provide power for about three months of continuous operation.

29. The glucose monitoring system of claim **1**, further comprising a secondary receiver unit, wherein the secondary receiver unit is configured to include a limited number of functions as compared with the receiver unit, wherein the secondary receiver unit is configured to receive processed sensor data from the data processing and transmitter unit, and wherein the secondary receiver unit is a watch.

30. The glucose monitoring system of claim **1**, wherein the glucose sensor is further configured to continuously sample the biological fluid of the user to provide the sensor data.

* * * * *